


PRODUCT CATALOGUE 2021











CORDLESS TECHNOLOGY FOR A GREENER FUTURE

EGO is part of a global manufacturing business established in 1993, employing over 7,000 people and producing over 10 million units each year, which are sold in over 30,000 outlets in 65 countries worldwide. As the specialists in cordless outdoor power equipment, our strength in depth and desire to break new ground has helped EGO achieve exceptional growth while being environmentally conscious.

Launched into Europe in 2014, E60 continues to push the boundaries of cordless technology with a range of award-winning products that are creating a cleaner, quieter and safer future whilst delivering superior performance.

Our commitment to a greener environment

EGO's commitment to innovation is driven by a talented team of over 400 highly qualified technicians responsible for developing and delivering clean, reliable power tools for today's switched-on customers. Our desire to create a greener future isn't limited to the products we develop, it also pervades the ways we operate and the places we work.

In 2004 we installed a 7,000m² Green Roof system to our dedicated R&D facility. This has saved the equivalent of 5 litres of petrol per m² each year.

The roof of our Green Power Industrial Park features a 2-megawatt photovoltaic power station.

Known as 'The Blue Roof' the power this generates, year-on-year, saves the equivalent of 755 tonnes of coal, as well as cutting Sulphur Dioxide emissions by 50 tonnes and Carbon Dioxide emissions by 1677 tonnes annually. The Green Power Industrial Park also utilises the latest in ground-source heating, air-conditioning and water-storage technologies. The ground-source heating system alone saves a massive 1 million KWh of electricity annually, the equivalent of 378 tonnes of coal. This cuts Sulphur Dioxide emissions by around 25 tonnes and Carbon Dioxide emissions by 839 tonnes each year.

Our passion for improving the environment won't stop here. This is only the beginning.

CHALLENGE 20 25 CREATING A CLEANER, QUIETER, SAFER FUTURE

Challenge 2025 is our commitment to changing the future of gardening for the better.

If each of us made the small change to batterypowered outdoor tools, it would have a huge positive
impact on our environment. Petrol-powered outdoor
tools produce more nitric oxide, nitrogen dioxide and
carbon dioxide than cars engines.* This insight drives
EGO's mission to right this wrong and create a better
environment for all.



We believe the future is battery powered - join us in making battery power the number one choice within five short years.

Together, we will build a cleaner, quieter, safer future.



For more information on Challenge 2025 and our five-year vision, visit our website **challenge2025.eu**.

s://www.challenge2025.eu/our-manifesto/the-journey-begins/

4 | A GREENER FUTURE | 5

ARC LITHIUM 56V

ONE BATTERY POWERS MULTIPLE TOOLS

Our industry-leading 56V Arc Lithium batteries work with all E60 Power⁺ tools, even our Professional-X range. With great performance and long run times, simply select your tool, click in and go



















HEDGE TRIMMERS

POLE SAW

CULTIVATOR

LINE IKIM

BRUSHES

OLIVE SHAKER

SNOW SHOVEL









60

EGO POWER⁺ Professional-X Backpack Harness

EGO POWER[†] Professional-X Battery Holster

EGO POWER⁺ Professional-X <u>Top H</u>andle Chainsaw

















THE POWER TO OUTPERFORM PETROL

Introducing the innovative EGO Power⁺ system from the cordless specialists.
EGO Power⁺ delivers petrol-matching power, just without the noise, fuss or emissions.

Our industry-leading 56V Arc Lithium battery technology offers a new level of performance, giving you the power you need to keep working hard until the job's done.

With impressive run times and fast recharge, there is no need to purchase or store highly flammable fuel, instead, you get the freedom to work emission-free. For total flexibility, all of E60's 56V Arc Lithium batteries fit every tool in the E60 Power⁺ 56V range.* Just click in the battery and you're ready to go. When you try this revolutionary cordless system you'll never look back.





Download our latest whitepaper to find out how to increase safety, productivity, sustainability and cost-effectiveness egopowerplus.eu/whitepaper

8 | EGO POWER* VS. PETROL

The support of our service dealer network

EGO approved service dealers can help you select the most suitable tools for your needs, give you face-to-face advice and provide a diagnostic service to keep your tools running for years to come. With a nationwide network of EGO approved service dealers, you're never too far from the support you need.

Satisfaction guaranteed

We offer a 30-day money back guarantee for any domestically used EGO Power+ tools, so if you're not completely satisfied you can return your product for a full refund.†



Industry-leading warranties

Domestic user

For domestic users we offer a 5-year warranty on all tools and a 3-year warranty on batteries when registered within 30 days of purchase.**

Professional user

We offer professional users a 3-year warranty on the Professional-X range, and a 2-year warranty on the Professional range when tools are registered within 30 days of purchase.**

	TOI	DLS	BATT	ERIES
	DOMESTIC USE	PROFESSIONAL USE	DOMESTIC USE	PROFESSIONAL USE
POWER	5 YEAR TOOL WARRANTY	1 YEAR TOOL WARRANTY	3 YEAR RATTERY WARRANTY	N/A
POWER PROFESSIONAL	5 YEAR TOOL WARRANTY	2 YEAR TOOL WARRANTY	3 YEAR RATTERY WARRANTY	2 YEAR BATTERY WARRANTY
POWER PROFESSIONAL Y	5 YEAR TOOL WARRANTY	3 YEAR TOOL WARRANTY	3 YEAR BAITERI WARRANTY	3 YEAR BATTERY WARRANTY

- * 12V Shrub Shears are not compatible with Arc Lithium 56V battery system.

 ** For defects caused by material or manufacturing fault. This does not cover wear and tear. Full terms and conditions are available on our website.
- † 30 day money-back guarantee is not available on tools used for professional purposes, 12V shrub/grass shears, batteries and chargers (unless purchased as part of a set).

SO MANY REASONS TO SWITCH



The EGO Power⁺ system delivers petrol-matching power without any of the downsides. It's simpler, cleaner, quieter, and with less vibration, it's more comfortable to use. Lower running and maintenance costs means switching to EGO Power⁺ will lead to long term savings. Plus, with zero emissions during use, you can do your bit to reduce your impact on the environment.



WHY CHANGE FROM PETROL TO EGO POWER+?



FLEXIBLE BATTERY SYSTEM

One EGO battery can power all of your EGO tools



BETTER FOR THE ENVIRONMENT

With zero emissions during use, our 56V Arc Lithium battery gives petrol-matching power but without the fuss and fumes



BETTER FOR YOUR HEALTH

EGO Power⁺ tools always operate at lower noise and vibration levels than traditional petrol-powered tools



EASY SET UP AND STARTING

No filling up with fuel; with EGO Power⁺ just click in the battery and get to work



LOWER RUNNING COSTS

The cost of running an EGO Power⁺ product for a month is around the same as using a 2 stroke product for a day^{*}



SAVE TIME

No more trips to the petrol station. EGO's rapid charger refuels batteries in as little as 30 minutes



FOLD FLAT. EASY STORE DESIGN

Unlike large, heavy petrol mowers, the E6O Power⁺ fold-flat design makes storage, cleaning and transportation simple



NO PETROL TO STORE

No more dangerous fuel in storage, no more fumes, make more space available for other things

^Based on average daily use of 3 litres of post mix fuel per day

EGO POWER* VS. PETROL 9





NEW FOR 2021

THE LATEST LAUNCHES FROM

The 2021 range has been engineered to meet a variety of outdoor needs, from harnessing power on the go, to the best in intelligent tree surgery, each new product has EGO's unrivaled Arc Lithium technology at its core.

Complete compatibility with the EGO battery system means impressive run times and superfast recharge as standard.





TRIMMER



CHOOSE THE RIGHT TOOL FOR ANY TASK

EGO's range of outdoor power equipment is designed to deliver an outstanding level of performance for every outdoor job, providing the right balance of power and usability for domestic, professional and specialist users.

EGO's unique Arc-Lithium cordless technology combines with best-in-class ergonomic design to deliver maximum power and efficiency for working outdoors.

Work smarter. Work healthier.

Any E60 battery will fit any E60 tool (see pages 6-7), so you can choose the right combination to suit your challenge:

- Range of 5 batteries and 1 backpack battery available, so you can choose the optimum power-to-weight ratio for any task
- Belt and back harness-mounted options for lighter working
- Backpack battery options for the most demanding jobs in all weathers

EGO outdoor power equipment allows you to work in a cleaner, quieter and safer way. EGO delivers the power of petrol, without the emissions, noise and vibration associated with petrol-powered products - better for you and better for the environment.

The best battery power, from the cordless specialists.



PETROL-MATCHING PERFORMANCE FOR SMALL TO MEDIUM SIZED GARDENS



A complete range of cordless outdoor power tools, ideal for regular domestic use.

EGO Power* tools are designed for regular use in small to medium sized gardens. EGO Power* tools gives domestic users, cordless, petrol-matching power without the noise, fuss or emissions. With EGO's outstanding level of performance built-in as standard tackle every garden maintenance task with ease.



PROFESSIONAL

HARD-WEARING TOOLS FOR LARGE GARDENS AND PROFESSIONAL USE



A range designed for heavy-duty use, perfect for large garden maintenance and landscaping professionals.

Ideal for everyday use, the EGO Power⁺ Professional range gives you the edge when facing tougher tasks for longer periods. This range includes additional features, designed to make light work of larger garden maintenance tasks. Whether working in a large garden or tackling commercial jobs, you can rely on EGO Power⁺ Professional tools to be powerful, hard-wearing and robust.



PROFESSIONAL X

SUPER-TOUGH, SUPER-POWERFUL RANGE FOR PROFESSIONAL AND SPECIALIST USE



A super-tough, super-powerful range of tools designed for garden maintenance professionals, facilities management and specialists.

harder, all-day-every-day, in the most challenging conditions.

Ergonomic design meets unrivalled power and performance in the Professional-X range. These tools push the boundaries of battery technology, with the power and performance to surpass petrol-powered equivalents. Built to last, the Professional-X range delivers clean, quiet, safe and productive working.

12 | THE EGO POWER* TOOL CATEGORIES | 13



SUPER TOUGH. SUPER POWERFUL. THE EGO PROFESSIONAL-X RANGE

When we created the EGO Power+ Professional-X range we set our standards high. Not content with developing a range of tools that redefined what cordless tools can do - we looked to deliver power and performance that exceeds their petrol-powered equivalents.

Designed to work harder, all-day every day, in the most challenging conditions. This range of high-spec tools and backpack batteries takes petrol-free working to a whole new level, ensuring productivity levels remain high.



Built to last and last

All tools in the Professional-X range are engineered to last longer, so you can cut maintenance time down to a minimum. And because they are quieter, lighter, with no emissions and less vibration, you can work comfortably for longer.

Ultimate flexibility

EGO is a name you can rely on. With a history of cordless power innovation, we know the ability to mix and match batteries, backpacks, harnesses and tools is vital. This level of complete flexibility continues with the Professional-X range.



CUTTING CAPACITY: 33MM Tool Depth: 20MM



THE ULTIMATE

EGO's Professional-X range tools are designed to deliver maximum battery power that outperforms petrol. All the tools in the Professional-X range are compatible with a number of battery options as shown, offering ultimate flexibility to complete any job big or small.










DIAMOND GROUND
















5.0AH BATTERY, 280WH, 2P



7.5AH BATTERY, 420WH, 3P



10.0AH BATTERY, 560WH, 4P





LESS VIBRATION, LESS NOISE, LESS COST





Another great reason for choosing EGO is that you can power through any job, without the excess physical stresses and strains associated with heavy, noisy and vibrating petrol-powered tools.

A big benefit of choosing EGO's low-vibration cordless tools is how they help users avoid the risk of Hand-Arm Vibration Syndrome (HAVS). Also known as 'Vibration White Finger' it causes painful and disabling disorders of the blood vessels, nerves and joints.

Designed so you can work comfortably all day long

With a smooth brushless motor and fewer moving parts, all EGO Power⁺ Professional-X tools have been designed to operate with low levels of vibration, often under the 2.5m/s² Exposure Action Value limit (EAV) and well below the Exposure Limit Value (ELV).

This allows you to comfortably work with them all day long without any risk to your health. So, choose EGO Power⁺ Professional-X and protect yourself every working day.

They are much quieter too

Let's face it. Petrol tools are noisy and daily exposure can lead to hearing loss and also tinnitus - a permanent ringing sensation in the ears. Fortunately the EGO Power⁺ Professional-X range is much quieter than petrol-powered alternatives, reducing the risk of potential damage, especially over long-term use.

Operating noisy equipment can also lead to an increase in work-related stress. Many factors are known to contribute to this condition and rarely there is a single cause. However, because EGO Power⁺ Professional-X tools operate at lower sound levels, the working environment is quieter and less stressful for the user.








Download our latest whitepaper to find out how to increase safety, productivity, sustainability and cost-effectiveness

egopowerplus.eu/whitepaper




EGO POWER⁺ VS PETROL

Based on a professional user purchasing a hedge trimmer, line trimmer and blower.



- · Cost estimates are based on purchasing a brush cutter, hedge trimmer and blower in year 1 and replacing again in year 4
- · Petrol fuel equivalents are daily usage of 4 litres per day and 170 days per year

EGO POWER* PROFESSIONAL-X RANGE | 19





WITH THE CAPABILITY TO OUTPERFORM PETROL, OUR INNOVATIVE RANGE OF BATTERIES AND CHARGERS DELIVER ALL THE POWER YOU NEED.













EGO POWER* ARC LITHIUM DELIVERS THE INDUSTRY'S HIGHEST ENERGY CAPACITY*

Our unique patented 56V Arc Lithium technology is designed like no other battery. It's why it performs like no other battery

The innovative design of E60's 56V Arc Lithium battery out-performs petrol-powered products. It is simpler, cleaner, quieter, safer for the environment and with no emissions and less vibration, safer for you too. Impressive run-times and fast charge-times offer the ultimate in flexibility.

Unique Arc design

Unlike conventional brick-shaped batteries where the cells are packed together, the Arc shaped design increases surface area, places the cells close to the surface and fits onto the outside of EGO tools. This dissipates heat more effectively, preventing overheating and shut-downs.

Why 56V?

Our team of experts has completely revolutionised battery technology to deliver the optimum power and performance for outdoor cordless equipment. Our 56V batteries deliver more usable power than any other hand-held battery. The five portable batteries in our range optimally cover all applications, from leaf blowing to heavy duty cutting.

Fast recharge

All this clever thinking not only delivers the industry's highest energy capacity in a portable hand-held battery. It also means when it's time to recharge, the EGO Power⁺ 56V Arc Lithium battery is the quickest around.







makes them so revolutionary, download the Battery FAQ document on our website.

egopowerplus.eu/FAQdownload





*For portable handheld batteries

22 | EGO POWER $^+$ Battery technology | 23












EGO POWER⁺ ARC LITHIUM BATTERY, DESIGNED TO MAXIMISE PERFORMANCE

The patented 56V Arc Lithium battery doesn't just manage heat, it maximises cooling

A battery gets hotter the longer it's used. The more power it generates, the more heat is released. Too much heat and the battery will shut down for safety. Heat also degrades cells over time, reducing battery life. That's why batteries must be cooled effectively to increase performance, run time and battery life.


Our batteries have been designed to cool effectively in three innovative ways: mechanically, chemically and electronically.






Increased surface area

The battery Arc shape has been carefully designed to optimise cooling and reduce overheating. Unlike "brick shaped" batteries, the individual battery cells are positioned adjacent to the external housing so heat can be easily transferred away from the cells.



Intelligent power


Power is nothing without control. It's why the EGO Power⁺ 56V Arc Lithium battery is continuously controlled by software and microprocessors within the battery and by the tools' intelligent power management systems. These constantly monitor and optimise each individual cell, to deliver the very best power, performance and run time.



Keep Cool™ Technology

It's not just the innovative Arc design that helps prevent overheating.

The battery has another clever way to keep cool. Each and every cell is surrounded by our unique Keep Cool™ phase change material that absorbs heat energy and keeps individual cells at their optimum temperature for longer run times.



Exterior mounted battery

Unlike other manufacturers, EGO batteries fit onto the outside of the tools and are not encased within the tool, which means they stay cool to deliver longer lasting power. To keep them safe and sound, the electronics are protected from dust and moisture by a resin coating and the cells are packaged in a robust case that absorbs shocks and vibrations.

24 | EGO POWER* BATTERY TECHNOLOGY | 25





A BATTERY FOR EVERY TASK

EGO Power⁺ 56V Arc Lithium batteries

From the lightest 2.5Ah to the largest 10Ah in the range, as the batteries go up in size, so does the power capacity and run time.

Whichever model you choose they have all been engineered for optimal performance and designed to fit all E60 tools*.

See page 32-33 for more details.



BA1400T 2.5AH BATTERY 140WH. 1P

NEW FOR 2021



BA2240T 4.0AH BATTERY 224WH, 1P



BA2800T 5.OAH BATTERY 280WH, 2P



BA4200T 7.5AH BATTERY 420WH, 3P



BA5600T 10.0AH BATTERY 560WH, 4P

INDUSTRY-LEADING TECHNOLOGY















OPTIMUM PERFORMANCE

E60's 56V Arc Lithium technology is perfectly optimised to provide the best balance between required performance and usable power.

INNOVATIVE ARC SHAPE

With a larger heat sink area the Arc shape battery helps to transfer heat away from every cell to stop overheating and maximise run-times.

KEEP COOL™ TECHNOLOGY

Unique phase-change material (on 5.0Ah and below) works to manage the heat transfer on every cell to keep the temperature lower for longer.

EXTERIOR Mounted Battery

Unique to EGO, helps keep the battery cool for longer lasting power.

INTELLIGENT Power Monitoring

Internal microprocessors and software control every cell for delivery of optimal power, performance and runtime.

SUPER-FAST RECHARGE

When you finally run out of power an EGO battery can be fully recharged in as little as 30 minutes.

COMPLETE COMPATIBILITY

Every EGO battery works with every EGO tool.**

*For portable handheld batteries. **12V Shrub Shears not compatible with Arc Lithium 56V battery system

26 EGO POWER* BATTERY TECHNOLOGY 27









POWER, COMFORT AND EASE OF USE COMBINED

The ergonomic EGO Power⁺ backpack harnesses and battery holster are the most comfortable way to enjoy EGO's industry-leading power. An alternative option to attaching the battery directly to the tool, weight is distributed evenly for a lighter, more comfortable way to work.



BACKPACK HARNESS

The BH1000 is ideal for taking the weight of the battery from your arms. This provides greater stability and comfort especially when using our larger batteries over prolonged periods.





BHX1000 PROFESSIONAL-X BACKPACK HARNESS


The BHX1000 has been designed with the professional user in mind and when used together with the AFH1500 harness (supplied separately or as part of a kit) provides exceptional comfort for all day use. The BHX1000 is compatible with the Professional-X series and with the ADB1000 adaptor can be used with all other EGO tools. The AFH1500 Harness (supplied separately) is compatible with the BHX1000 and the BAX1500 Professional-X backpack battery.





ABH3000 PROFESSIONAL-X BATTERY HOLSTER. CABLE AND ARBORIST'S STROP

The holster is designed to house the EGO BA2240T 4.0Ah, Battery which is perfectly matched for use with the EGO Power⁺ Professional-X Top-handle Chainsaw, to deliver optimal torque and power for professional arborists. The safety-strop attachment integrates with the battery cable and belt or harness to keep you and your team safe in the trees.



	BH1000	BHX1000	ABH3000
CONNECTION METHOD	Quick plug-in and out for EGO Power+ Professional-X tools. Adapter ADB1000 for all other EGO Power+ tools	Quick plug-in and out for EGO Power+ Professional-X tools. Adapter ADB1000 for all other EGO Power+ tools	Quick plug-in and out for EGO Power+ Professional-X tools. Adapter ADB1000 for all other EGO Power+ tools
CARRYING HANDLE	Yes	Yes	No - fixed to belt or harness
HIP PAD FOR BRUSH CUTTER	AHP1300 (optional)	AHP1500 (optional)	No
UPRIGHT STAND STORAGE	Yes	Yes	No
WEIGHT WITHOUT BATTERY	2.2kg	2.9kg	1.1kg
DOMESTIC WARRANTY	3 years	3 years	3 years
PROFESSIONAL WARRANTY	2 years	3 years	3 years
AVAILABLE AS A KIT	BH1001: Includes ADB1000 adapter	BHX1000-K0002: Includes AFH1500 harness/hip belt and ADB1000 adapter	-

Image shown as a kit BH1001

28 | EGO POWER* HARNESS & ADAPTER EGO POWER* HARNESS & ADAPTER 29





BACKPACK BATTERIES THAT WORK AS HARD AS YOU DO

Team up your EGO Power⁺ tools with one of our Lithium-ion backpacks

Balancing exceptional run time with user comfort, E60's Lithium-ion BAX1500 backpack is ergonomically designed to keep you working all day long. The battery pack can be removed from the harness* allowing the battery to be shared amongst multiple users, each with their own harness for improved hygiene. To ensure optimum performance, efficiency and longevity, these high-energy capacity batteries incorporate intelligent individual cell monitoring and balancing, both when it's powering a tool and when it's recharging.

Designed to perform, huilt to last

Delivering the run times you demand, EGO Power* backpack batteries can give you a full day's work** from a single charge. The high-quality cells, with high power rating and high energy density, can handle in excess of 1,000 charge cycles. Plus, with fast recharging, you can go from empty to full in just 3.5 hours.

Flexible performance

They're compatible with all EGO Power⁺ tools, and as the battery is on the harness and not on the tool, the tools are even lighter and easier to use.



BAX1500 PROFESSIONAL-X BACKPACK BATTERY

The EGO Power⁺ Professional-X backpack battery delivers the power output and run times needed for demanding jobs. In fact, it outperforms many of the petrol products currently in use. All minus the noise, emissions and vibration.

To ensure the battery's toughness and durability, we tested it to the extreme too. The Professional-X backpack battery can handle the heaviest downpours and still power the tool. Plus, the super robust casing is designed to take all of the knocks you can throw at it.

	BAX1500
CAPACITY	1568Wh at 56V rated
CONNECTION METHOD	Adapter / Plug-in
BATTERY WEIGHT	9.0kg w/o harness
HARNESS	Supplied separately or as part of a kit
WEATHERPROOF PROTECTION	IP56
CHARGER	CHX5500E
CYCLE LIFE	In excess of 1000 cycles
DOMESTIC WARRANTY	3 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	BAX1501: Includes a AFH1500 harness and ADB1000 adapter



SO MUCH POWER, SO MANY BENEFITS

COMPATIBLE WITH EVERY EGO POWER⁺ Tool

HIGH-EFFICIENCY Battery Life

DETACHABLE BATTERY AND HARNESS

Every user should have their own harness for optimised health benefits and improved comfort

WORK HEALTHIER

without strains, musculoskeletal problems or emissions

MASSIVE SAVINGS

30 EGO POWER* PROFESSIONAL-X BACKPACK BATTERY 31

^{*}Note the harness straps are supplied with padded comfort straps and may appear different.

**Dependent on the tool and based on an 8 hour working day.







A BATTERY FOR EVERY TOOL

With a choice of five batteries and one battery backpack, choose the one that gives you the power and run time* you need.

KEY

RECOMMENDED / OPTIMAL

COMPATIBLE / NOT OPTIMAL

- NOT RECOMMENDED

	PRODUCT NAME		BATTERY						
CODE			GC OWE	R NAL	PROFESSIONAL				
			BA1400T 2.5Ah / 140Wh (Up to)		BA2240T 4.0Ah / 224Wh (Up to)				
EGO Power+ Mo	wers								
LM1700E	42cm Mower	Cuts	up to 40	0sqm	Cuts	up to 64	0sqm		
LM1700E-SP	42cm Self-Propelled Mower	Cuts	up to 30	0sqm	Cuts	up to 48	0sqm		
LM1900E-SP	47cm Self-Propelled Mower	Cuts	up to 40	0sqm	Cuts	up to 64	0sqm		
LM2020E-SP	50cm Self-Propelled Mower	Cuts	up to 35	0sqm	Cuts	up to 56	0sqm		
LM2130E-SP	52cm Self-Propelled Mower with Select Cut Technology	Cuts	up to 33	3sqm	Cuts	up to 53	3sqm		
EGO Power+ Lin	e Trimmers, Brush Cutter and Rotocut								
ST1300E-S	33cm Line Trimmer		70 mins	;		110 min	S		
ST1400E-ST	35cm Telescopic Line Trimmer with Powerload Technology		60 mins	;		90 mins	j		
ST1510E	38cm Line Trimmer with Powerload Technology		30 mins	;		50 mins	;		
ST1530E	38cm Loop Handled Line Trimmer		18 mins	;		36 mins			
BC3800E	38cm Bike Handled Brush Cutter		20 mins	;		32 mins			
BCX3800	Bike Handled Line Trimmer/Brush Cutter***		_			40 mins			
STX3800	Loop Handled Line Trimmer/Brush Cutter***		_			40 mins			
RTX2300	Rotocut (Assembled on BCX/STX3800) ***		25 mins	;	40 mins				
EGO Power+ Hed	dge Trimmers								
HT2000E	51cm Hedge Trimmer		75 mins			120 min:	s		
HT2410E	61cm Hedge Trimmer		75 mins		120 mins				
HT5100E	51cm Hedge Trimmer		40 mins		70 mins				
HT6500E	65cm Hedge Trimmer		33 mins		60 mins				
HTX6500	65cm Hedge Trimmer***	33 IIIIIS		55 mins					
HTX7500	75cm Hedge Trimmer***	_		45 mins					
EGO Power+ Cha						40 1111113			
CS1400E	35cm Chainsaw		130 cuts	,		220 cuts			
CS1600E	40cm Chainsaw		130 cuts		220 cuts				
CS1800E			130 cuts		220 cuts				
CSX3000	45cm Chainsaw with Auto Chain Tensioning		90 cuts		186 cuts				
	30cm Top Handle Chainsaw		90 cuis			Too cuis	,		
	wers/Snow Thrower	Lean	I Cl.		1	III ala			
Run time in Mins		Low	High	Max	Low	High	Ma		
LB5300E	Blower 900m³/h	75	22	10	120	35	16		
LB5800E	Blower 986m³/h	100	15	9	160	24	14		
LB6000E	Backpack Blower 1020m³/h	75	13	9	96	17	12		
LBX6000	Blower 1014m³/h***		-	•		36 mins			
SNT2400E	2 Stage Snow Thrower		14 mins			22 mins			
EGO Power+ Mu									
STA1500	Multi-Tool Line Trimmer Attachment		18 mins		35 mins				
BCA1200	Multi-Tool Brush Cutter Attachment	27 mins		50 mins		i			
HTA2000	Multi-Tool Hedge Trimmer Attachment	37 mins			65 mins	i			
HTA2000S	Multi-Tool Short Hedge Trimmer Attachment	37 mins			65 mins				
PSA1000**	Multi-Tool Pole Saw Attachment		70 cuts			110 cuts	\$		
EA0800	Multi-Tool Edger Attachment	_			50 mins				
CTA9500	Multi-Tool Cultivator Attachment	40 mins			64 mins				
BBA2100	Multi-Tool Bristle Brush Attachment	40 mins			64 mins	1			
0SA1000	Multi-Tool Olive Shaker Attachment		50 mins			80 mins	;		
SSA1200	Multi-Tool Snow Shovel Attachment		TBC			TBC			
RTA2300	Multi-Tool Rotocut Attachment		25 mins			40 mins			
EGO Power+ Tele	escopic Pole System								
PSX2500	Pole Saw Attachment		110 cuts	3		182 cuts	3		
DTVE100	Hadaa Trimmar Attachmant		05		102 cuts				

^{*}Run time may vary and depend on battery used, charge level of battery, condition of grass/hedge and user's operation technique









						BATTERY					BACKPACK BATTERY
CODE	PRODUCT NAME	F	<i>GO</i> OWE	Ä	P	<i>GO</i> OWE	ÄĐ	F	<i>GO</i> OWE	P R	EGO POWER
0052	I ROBOUT HAME)FESSIO	NAL	PRO	FESSIO	NAL	PRO	FESSIO	NAL	PROFESSIONAL X
		5.0Ah	BA28001 1 / 280Wh			BA42001 / 420Wh			BA56007 1 / 560W		BAX1500 28Ah / 1568Wh (Up to)
EGO Power+ Mo	wers										
LM1700E	LM1700E 42cm Mower		up to 80	Osqm	Cuts	up to 120	00sqm	Cuts	up to 160)Osqm	_
LM1700E-SP	42cm Self-Propelled Mower	Cuts	up to 60	Osqm	Cuts	up to 90	0sqm	Cuts	up to 120	00sqm	-
LM1900E-SP	47cm Self-Propelled Mower	Cuts	up to 80	Osqm	Cuts	up to 120	00sqm	Cuts	up to 160	00sqm	-
LM2020E-SP	50cm Self-Propelled Mower	Cuts	up to 70	Osqm	Cuts	up to 105	i0sqm	Cuts	up to 140	00sqm	-
LM2130E-SP	52cm Self-Propelled Mower with Select Cut Technology	Cuts	up to 66	6sqm	Cuts	up to 100	0sqm	Cuts	up to 133	33sqm	-
EGO Power+ Lin	e Trimmers, Brush Cutter and Rotocut										
ST1300E-S	33cm Line Trimmer		140 mins	3		210 mins	3		280 mins	S	_
ST1400E-ST	35cm Telescopic Line Trimmer with Powerload Technology		120 mins	3		165 mins	3		240 mins	S	300 mins
ST1510E	38cm Line Trimmer with Powerload Technology		60 mins			90 mins			120 mins	S	_
ST1530E	38cm Loop Handled Line Trimmer		45 mins			72 mins			90 mins		240 mins
BC3800E	38cm Bike Handled Brush Cutter		40 mins			65 mins			80 mins		280 mins
BCX3800	Bike Handled Line Trimmer/Brush Cutter***		50 mins			75 mins			97 mins		420 mins
STX3800	Loop Handled Line Trimmer/Brush Cutter***		50 mins			72 mins			97 mins		420 mins
RTX2300	Rotocut (Assembled on BCX/STX3800) ***		52 mins			80 mins			105 mins	S	325 mins
EGO Power+ He	dge Trimmers										
HT2000E	51cm Hedge Trimmer		150 mins	3	225 mins			300 mins	S	_	
HT2410E	61cm Hedge Trimmer		150 mins	3		225 mins	3		300 mins	S	_
HT5100E	51cm Hedge Trimmer		82 mins		125 mins		164 mins		S	490 mins	
HT6500E	65cm Hedge Trimmer		72 mins		110 mins		144 mins		S	420 mins	
HTX6500	65cm Hedge Trimmer***		70 mins		105 mins		140 mins		S	420 mins	
HTX7500	75cm Hedge Trimmer***		60 mins			90 mins 120 mins		S	380 mins		
EGO Power+ Cha	ainsaws										
CS1400E	35cm Chainsaw		300 cuts		450 cuts		600 cuts		3	_	
CS1600E	40cm Chainsaw		300 cuts		450 cuts		600 cuts		3	_	
CS1800E	45cm Chainsaw with Auto Chain Tensioning		300 cuts		450 cuts		600 cuts		3	_	
CSX3000	30cm Top Handle Chainsaw		265 cuts	1		375 cuts	;		530 cuts	3	_
EGO Power+ Blo	wers/Snow Thrower				,						
Run time in Mins	S	Low	High	Max	Low	High	Max	Low	High	Max	Max*
LB5300E	Blower 900m³/h	150	44	20	225	66	30	300	88	40	110 mins
LB5800E	Blower 986m³/h	200	30	18	300	45	27	400	60	36	110 mins
LB6000E	Backpack Blower 1020m³/h	120	22	15	180	33	23	240	44	30	_
LBX6000	Blower 1014m ³ /h***		60 mins		90 mins			120 mins	S	350 mins	
SNT2400E	2 Stage Snow Thrower		28 mins	•	44 mins i			56 mins	,	_	
EGO Power+ Mu	Iti-Tool										
STA1500	Multi-Tool Line Trimmer Attachment		45 mins		72 mins		93 mins			300 mins	
BCA1200	Multi-Tool Brush Cutter Attachment		60 mins			95 mins			125 mins	S	375 mins
HTA2000	Multi-Tool Hedge Trimmer Attachment		82 mins			122 mins	3		157 mins	S	490 mins
HTA2000S	Multi-Tool Short Hedge Trimmer Attachment		82 mins			122 mins	3		157 mins	S	490 mins
PSA1000**	Multi-Tool Pole Saw Attachment		140 cuts			210 cuts			285 cuts	3	660 cuts
EA0800	Multi-Tool Edger Attachment	60 mins		100 mins		3		132 mins	S	530 mins	
CTA9500	Multi-Tool Cultivator Attachment	80 mins		120 mins		3		160 mins	S	480 mins	
BBA2100	Multi-Tool Bristle Brush Attachment		80 mins			120 mins	3		160 mins	S	420 mins
0SA1000	Multi-Tool Olive Shaker Attachment		100 mins	3		160 mins	3		210 mins	S	600 mins
SSA1200	Multi-Tool Snow Shovel Attachment		TBC			TBC			TBC		TBC
RTA2300	Multi-Tool Rotocut Attachment		52 mins			80 mins			105 mins	S	325 mins
EGO Power+ Tel	escopic Pole System										
PSX2500	Pole Saw Attachment		231 cuts			379 cuts			455 cuts	3	1200 cuts
PTX5100	Hedge Trimmer Attachment		120 mins	3	210 mins		260 mins		S	720 mins	

PTX5100

Hedge Trimmer Attachment

95 mins

^{***}Portable batteries must be used with either BH1000 or BHX1000 $\,$

^{*}Run times shown are for clearing up to 10cm of dry snow with 2x

^{**}Run time based on a 10cm x 10cm timber











FROM EMPTY TO **FULLY CHARGED** IN JUST 30 MINS


With a range of battery sizes available from 2.5Ah to 28Ah, you can choose the power you need to tackle any task. When it's time to recharge, the EGO Power+ rapid charger is the fastest on the market. The intelligent battery control system constantly monitors each cell's power and temperature to deliver the most efficient and quickest charge.

Plus, the fan-cooling system allows the battery to start charging sooner and finish faster. As a result, the time it takes to refuel the battery is often less than the run time you get from a full charge. In fact with the rapid charger, the 2.5Ah battery takes just 30 minutes.





CH2100E STANDARD CHARGER



CHX5500E PROFESSIONAL-X CHARGER



LED CHARGING / Diagnostics indicator Constant feedback on battery status and recharge levels

PERFORMANCE STATISTICS							
BATTERY MODEL		BA1400T	BA2240T	240T BA2800T BA4200T		BA5600T	BAX1500
BATTERY (Ah)	2.5Ah	4.0Ah	5.0Ah	7.5Ah	10.0Ah	28.0Ah
CAPACITY (Wh)		140	224	280	420	560	1568Wh at 56V rated
	RAPID CHARGER: CH5500E	30 mins	30 mins	40 mins	60 mins	70 mins	210 mins
CHARGE TIMES	STANDARD CHARGER: CH2100E	50 mins	80 mins	100 mins	145 mins	190 mins	-
	PROFESSIONAL-X CHARGER: CHX5500E	-	-	-	-	-	Default: 420 mins Rapid: 210 mins
WEIGHT		1.2kg	1.9kg	2.2kg	2.8kg	3.4kg	9.0kg
DOMESTIC WARRANTY		3 years	3 years	3 years	3 years	3 years	3 years
PROFESSIO	ONAL WARRANTY	2 years	2 years	2 years	2 years	2 years	3 years

34 | EGO POWER* CHARGERS EGO POWER+ CHARGERS 35











INSTANT POWER WHEN YOU NEED 11

Harness the unrivalled power of EGO's arc lithium battery technology with the EGO Power⁺ Nexus Escape.

Compatible with any EGO battery the Nexus Escape provides power wherever you need it, whenever you need it.

Built tough with a 240V AC power outlet and 2 USB ports, the Nexus Escape provides flexible power to charge mobile phones, laptops, cameras, lights and other electrical devices up to a maximum output of 150Watts. Ideal for camping trips, beach visits, festivals or for use at home, the Nexus Escape is lightweight and small enough to carry in a rucksack or store in a tent.

With the power to run a 42" television for up to ten hours, charge 27 mobile phones or 5 laptops, the EGO Power⁺ Nexus Escape can deliver all the power you need, when you need it.



PAD1500E NEXUS ESCAPE POWER INVERTOR

The E60 Power⁺ Nexus Escape's 240V (150W) AC power outlet and 2 USB ports enable you to charge or power devices such as mobiles, laptops, cameras, lights and other electrical devices, wherever you are.

NEW FOR 2021

	PAD1500E
CAPACITY	150W
CONNECTION METHOD	Compatible with any EGO portable batteries
WEIGHT WITHOUT BATTERY	0.5kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	-
AVAILABLE AS A KIT	PAD1501E: Includes 2.5Ah battery and standard charger




27 MOBILE PHONES

42" TV FOR 10 HOURS

OUTDOOR LIGHTING

5 LAPTOPS

36 EGO POWER* NEXUS ESCAPE EGO POWER* NEXUS ESCAPE





WITH A RANGE OF CUTTING CAPACITIES, SELF-PROPELLED MODELS, AND PUSH BUTTON START, TACKLE ANY SIZE LAWN WITH EASE.









THE POWER OF PETROL **EMISSIONS**

With lower running costs, zero emissions and significantly quieter than a petrol mower, the EGO Power+ mower range offers a variety of key features and cutting capacities to suit any lawn.

The self-propelled motor keeps you in control and makes light work of slopes and undulations. On a single charge our battery gives you up to 1,600 sqm cutting area* (significantly more than the size of 4 tennis courts). Automatic Variable Speed on selected models, delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance for different conditions.


The 3-in-1 functionality lets you drop, bag or mulch clippings (mulching kits are sold separately), while the LED headlights let you work further into the day. The efficient grass collection system, uses all available space in the collection bag, meaning less-frequent emptying. And when you're done, the easy-fold design makes cleaning and storage simple.

*Based on a 10.0Ah battery using LM1900E-SP. Cutting area can vary depending on model and battery as well as condition of grass and user operation technique.











A MOWER FOR EVERY LAWN. THE RIGHT TOOL FOR THE JOB

The EGO Power⁺ mower range showcases a variety of specifications designed to make lawn care quicker, easier and more efficient. And with model sizes ranging from 42cm to 52cm cutting width, there's an option for every task and size of lawn.

Technologically advanced in every way, each mower packs incredible petrol-matching power as standard. Thanks to our revolutionary Arc Lithium 56V battery system, they make minimal noise, emit zero emissions, and start up at the touch of a button.

While these benefits apply to all EGO Power⁺ mowers, key differences make some models better suited to specific kinds of gardens.

Check out our handy diagram above to identify the size of lawn you can cut on a single charge, and therefore the mowers that are suitable for you.

CHOOSING THE RIGHT MOWER:



Small, tight spaces, or close to trees

For smaller spaces and improved precision around obstacles, mowers with a smaller cutting capacity are ideal.

LESS ROOM TO WORK WITH?

Our compact 42cm models LM1700E or LM1700E-SP are perfect for smaller spaces.



Bigger, open spaces

A mower with a wider cutting capacity will help you cover more ground in fewer passes. Opting for a bigger battery will increase run time, as will variable automatic cutting speed control. For a faster cut, a larger capacity bag can collect more grass and needs emptying less often.

LARGER LAWN?

Try our 52cm model LM2130E-SP which makes even the biggest jobs feel small.



Sloping ground

Using a self-propelled mower takes the strain out of pushing the mower uphill.



Additional comfort

If comfort is a priority, poly deck models are the lightest option. Self-propelled mowers require less effort, and with an adjustable handle, you can decide on the most suitable height.



Finishes

The EGO Rear Roller Kit is a simple and effective way of enabling your EGO mower to stripe your lawn, giving you a manicured look whilst keeping the versatility of being able to mulch and rear discharge clippings.

Only available for certain models. AR1900 - LM1900E-SP AR1700 - LM1700E and LM1700E-SP



Grass collection

There are 3 different ways that E60 Power⁺ mowers deal with cut grass. Great for lawns that aren't too thick, mulching redistributes grass particles and fertilising nutrients. Drop cuttings or rear discharge (only available on the metal deck mower) allows for quicker mowing through thick and long grass. Bag collection keeps lawns clear of any cuttings.

42 EGO POWER $^+$ MOWERS 43





LM1700E 42cm MOWER



Perfect for precision mowing in smaller spaces and medium sized gardens with level ground. Includes a 55L collection bag.





LM1900E-SP 47cm SELF-PROPELLED MOWER



The wider cutting width is perfect for precision mowing of medium sized gardens. Self-propelled for tackling sloping lawns with ease. Includes a 55L collecton bag.





LM1700E-SP 42cm SELF-PROPELLED MOWER



Perfect for mowing in smaller spaces and medium sized gardens. Self-propelled for tackling sloping and undulating lawns with ease. Includes a 55L collection bag.





LM2020E-SP 50cm SELF-PROPELLED MOWER



The wide cutting width is perfect for precision mowing of medium and larger-sized gardens. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. Includes a larger 60L collecton bag.



LM2130E-SP 52cm SELF-PROPELLED MOWER



The wide cutting width is perfect for precision mowing of larger gardens and wider spaces. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. Includes an extra-large 70L collection bag.







		LM1700E	LM1700E-SP	LM1900E-SP	LM2020E-SP	LM2130E-SP
CUTTING CAP	ACITY	42cm	42cm	47cm	50cm	52cm
SELF-PROPEL	LED SPEED	No	0.5-1.4m/s (1.8-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.4 -1.4 m/s (1.4 -5km/h)
CUTTING DEC	K MATERIAL	Poly	Poly	Poly	Steel	Poly
CUTTING 2.5Ah		Cuts up to 400sqm	Cuts up to 300sqm	Cuts up to 400sqm	Cuts up to 350sqm	Cuts up to 333sqm
AREA	4.0Ah	Cuts up to 640sqm	Cuts up to 480sqm	Cuts up to 640sqm	Cuts up to 560sqm	Cuts up to 533sqm
	5.0Ah	Cuts up to 800sqm	Cuts up to 600sqm	Cuts up to 800sqm	Cuts up to 700sqm	Cuts up to 666sqm
	7.5Ah	Cuts up to 1200sqm	Cuts up to 900sqm	Cuts up to 1200sqm	Cuts up to 1050sqm	Cuts up to 1000sqm
	10.0Ah	Cuts up to 1600sqm	Cuts up to 1200sqm	Cuts up to 1600sqm	Cuts up to 1400sqm	Cuts up to 1333sqm
CUTTING SPE	ED CONTROL	Constant speed	Constant speed	Constant speed	Automatic Variable Speed**	Automatic Variable Speed
NO LOAD SPE	ED	3,000rpm	3,000rpm	2,850rpm	2,700 - 3,000rpm	2,700 - 3,000rpm
CUT HEIGHT S	SETTINGS	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	25/35/50/65/80/95mm	25/32/40/51/64/77/90mm
HANDLE HEIG	HTS	Three - user adjustable	Three - user adjustable	Three - user adjustable	Three - user adjustable	Three - user adjustable
REAR COLLEC	CTION	55L	55L	55L	60L	70L
FUNCTIONS		Mulch [†] , collect, rear discharge	Mulch [†] , collect, rear discharge	Mulch†, collect, rear discharge	Mulch, collect, side discharge	Mulching and collect
NOISE RATINO Lpa/Lwa	3	78dB(A) 95dB(A)	78dB(A) 95dB(A)	80dB(A) 95dB(A)	80dB(A) 93dB(A)	80dB(A) 90dB(A)
VIBRATION (N	N/S ²)	2.4	1.5	1.36	1.0	0.61
VERTICAL ST	DRAGE	Yes	Yes	Yes	Yes	Yes
WEIGHT WITH	OUT BATTERY	22kg	25kg	25kg	27kg	26kg
MOTOR TYPE		Brushless	Brushless	Brushless	Brushless	Brushless
DOMESTIC W	ARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSION	AL WARRANTY	1 year	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT		LM1701E: Inc. 2.5Ah battery & standard charger	LM1701E-SP: Inc. 2.5Ah battery & standard charger	LM1903E-SP: Inc. 5.0Ah battery & rapid charger	LM2021E-SP: Inc. 5.0Ah battery & rapid charger	LM2135E-SP: Inc. 7.5Ah battery & rapid charger

*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

**Automatic Variable Speed delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance.

†Please note, mulching kits for models LM1700E, LM1700E-SP, LM1900E-SP and LM2130E-SP are available separate to purchase (ABP1700 and ABP1900).

44 | EGO POWER* MOWERS | 45





BUILT FOR THE TOUGHEST JOBS, POWERED BY OUR 56V ARC LITHIUM BATTERY TECHNOLOGY, NOTHING GETS IN THEIR WAY.





BUILT FOR THE

The EGO Power⁺ chainsaws are built to tackle even the hardest jobs. Trunks, logs, branches, nothing gets in their way.

Choose simple, safe Auto Chain Tensioning to maintain proper tension during use or opt for tool-free chain tensioning for easy set up and adjustment. Check the lubrication level through the oil inspection window and you're ready to go.

The electronic chain brake protects against kickback while you work. And the auto-lubrication system keeps the chain spinning freely at all times.

Plus with EGO's 56V Arc Lithium battery delivering such an impressive run time and incredible power on a single charge, it'll keep you working cut after cut after cut.



20.0m/s For smooth, easy cut through large trunks and logs

CHAIN BRAKE for safe operation LED LIGHT for use in low EFFICIENT AND POWERFUL light conditions AUTOMATIC Chain Oiling for better cutting performance EGO BRUSHLESS - 500 T POWER DURABLE 45CM, 18" Guide Bar **BUMPER SPIKES** for control when **AUTO CHAIN** OPAQUE OIL LEVEL Inspection cutting logs **TENSIONING**



The EGO Power⁺ 18 inch chainsaw with Auto Chain Tensioning is built to tackle tough jobs. With a high speed 20m/s chain speed and a powerful motor, nothing will get in its way.

All guesswork is removed when it comes to the correct chain tension thanks to an auto tensioning feature. When replacing or tensioning the chain, simply loosen the sprocket cover on the saw, re-tighten and you're ready to go.



SIMPLE ADJUSTMENT

For safe and effective chain tensioning

Please note: some features are not available on all models.

For simple chain tensioning*

Model shown: CS1800E *Available on selected models













CS1800E

45cm CHAINSAW

An industry-leading chain speed of 20m/s, provides all the power and torque needed to quickly cut through thick branches and larger logs up to 45cm (17.5ins) in width.





CS1400E

35cm CHAINSAW

Perfect for easily cutting through branches and medium-sized logs up to 35cm (approx. 12ins) in width.















CS1600E **40cm CHAINSAW**

Perfect for easily cutting through branches and medium-sized logs up to 40cm (approx. 15ins) in width.











BCS1000 CHAINSAW BAG

Durable bag with oil tray and folding scabbard cover for safely transporting chainsaws. Separate pockets for storing accessories.



Available separately, see page 109.

	CS1400E	CS1600E	CS1800E
BLADE LENGTH	35cm	40cm	45cm
CHAIN SPEED	13.5m/s	13.5m/s	20m/s
CUTS UP TO*	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts
CHAIN BAR	AG1400	AG1600	AG1800
CHAIN TYPE	AC1400 (90PX - 3/8" x 1.1mm)	AC1600 (90PX - 3/8" x 1.1mm)	AC1800 (91PX - 3/8" x 1.3mm)
OIL RESERVOIR	150ml	150ml	200ml
CHAIN OIL	Automatic	Automatic	Automatic
CHAIN BRAKE	Yes	Yes	Yes
NOISE RATING Lpa/Lwa	86dB(A) 100dB(A)	85dB(A) 99dB(A)	93dB(A) 104dB(A)
VIBRATION (M/S ²)	5.4/4.1	3.0/3.2	5.1/3.5
CHAIN TENSIONING	Tool free	Tool free	Automatic
WEIGHT WITHOUT BATTERY	3.8kg	3.9kg	4.5kg
MOTOR TYPE	Brushless	Brushless	Brushless
DOMESTIC WARRANTY	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	2 years
AVAILABLE AS A KIT	CS1401E: Includes 2.5Ah battery and standard charger	-	-

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.

50 | EGO POWER⁺ CHAINSAWS EGO POWER* CHAINSAWS 51

=GO POWER PROFESSIONAL X TOP HANDLE CHAINSAW





INTELLIGENT **SURGERY**



'Best in class' power, performance and design. EGO's arborist-specialist tool from the Professional-X range, the EGO CSX3000 Top Handle Chainsaw is designed to tackle the challenges of all-day professional use.


With industry-leading Arc-Lithium battery technology at its heart, the Top Handle Chainsaw provides unrivalled power, torque and chain speed, whilst benefitting from long run-times and fast recharge. And with no pull-chord, no need to run the tool in idle and no hot exhaust, switching to EGO Arc-Lithium power makes more sense than ever.

A unique Chain-Brake Safety System is a cuttingedge combination of mechanical and electronic technology reducing the risk of injury, stopping the tool's motor faster if kickback occurs.

Additional features on the tool make working at height even easier - the Battery-Level Indicator Light alerts you when 10% of battery power is left, while the visible Oil Indicator Light comes on when the tool needs a top up.

Suitable for every tree-top job with a range of chain bars available, from 12"- 16", the EGO Top Handle Chainsaw makes the task in hand, easier. cleaner, quieter and safer.

It's time to get to grips with the new best in class.





ABH3000 BATTERY HOLSTER BA2240T 4.0Ah BATTERY

Battery holster cable integrates with the safety strop to securely attach to the belt and harness. The new 4.0Ah battery has been designed with the optimal power-to-weight ratio for use by professional arborists.




Available separately, see pages 26 and 29.



CSX3000 PROFESSIONAL-X Top Handle Chainsaw

Designed to deliver best-in-class power, torque and chain speed for the professional arborist.

BRUSHLESS MOTOR



	C2X3000
BLADE LENGTH	30cm
CHAIN SPEED	20m/s
CUTS UP TO*	2.5Ah Up to 90 cuts 4.0Ah Up to 186 cuts 5.0Ah Up to 265 cuts 7.5Ah Up to 375 cuts 10.0Ah Up to 530 cuts
CHAIN BAR	AG1200
CHAIN TYPE	AC1200 (90PX - 3/8" x 1.1mm)
OIL RESERVOIR	200ml
CHAIN OIL	Automatic - Worm drive adjustable
CHAIN BRAKE	Yes - Mechanical and Electronic
NOISE RATING Lpa/Lwa	88dB(A) 98dB(A)
VIBRATION (M/S ²)	1.7/2.2
CHAIN TENSIONING	Side
WEIGHT WITHOUT BATTERY	3.5kg
MOTOR TYPE	Brushless
DOMESTIC WARRANTY	Not suitable
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	CSX3002: Includes 4.0Ah battery and rapid charger

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.





MAXIMUM REACH, MANOEUVRABILITY AND CUTTING POWER FOR HIGH BRANCHES AND HEDGES



DOUBLE TRIGGER CONTROLS

Comfortable,

safe and reliable

=60 POWER PROFESSIONAL X TELESCOPIC POLE SYSTEM





REAR FOOT

Replaceable carrying

bumping and dropping

handle, protection against

THE FLEXIBILITY TO CUT HIGH BRANCHES OR HEDGES

EGO's telescopic pole system enables you to work on those harder to reach jobs without the need for platforms or ladders.


The telescopic pole has a tool-free interchangeable head system which can be set up to work with either the pruning saw or hedge trimmer attachment in just a few seconds.

The telescopic pole houses the battery and dual-trigger controls and has an extendable reach up to 4 metres.

There are several trigger points to provide great reach and maneuverability relevant to the application.

When fully extended the tool meets the maximum allowable lengths, with great balance, articulation and ergonomics.







PPX1000 PROFESSIONAL-X TELESCOPIC POLE

EGO POWER

Use with the EGO Power⁺ Professional-X Pruning Saw and Hedge Trimmer attachments*, and with any of EGO's 56V Arc Lithium batteries. Extends up to 4m** in length to easily reach high branches and hedges, and ideal for low hedges when set to a shorter extension.









	PPX1000
LENGTH	172 - 265cm
IP CLASS	IPX4
SPEED CONTROL	Variable speed 2 triggers
SHAFT SHAPE	Oval, rubber sleeve
WEIGHT WITHOUT BATTERY	3.5kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	PPCX1000: Includes PPX1000, PSX2500 pruning saw attachment and PTX5100 hedge trimmer attachment

ALUMINIUM OVAL SHAFT Robust design for comfort, grip and reach



Easy to change attachment with thumb screw locking



PROFESSIONAL-X TELESCOPIC HEDGE TRIMMER ATTACHMENT

The power, torque and chain-speed to cut branches up to 26mm in diameter. 6-position articulation, and additional twist rotation



PROFESSIONAL-X TELESCOPIC PRUNING SAW ATTACHMENT

Cut hedge branches up to 200mm in diameter. 0°-180° articulation, and additional twist rotation

^{*}The Telescopic Pruning Saw attachment and the Telescopic Hedge Trimmer can be purchased separately **Depending on which attachment.

DUAL ACTION BLADES

For less vibration when cutting

=GO POWER PROFESSIONAL X TELESCOPIC PRUNING SAW ATTACHMENT











BRUSHLESS MOTOR

To deliver maximum power

and run time for tough jobs





TELESCOPIC ADJUSTMENT

Long reach for cutting

high branches

PROFESSIONAL-X TELESCOPIC PRUNING SAW ATTACHMENT

For use with the EGO Power⁺ Professional-X Telescopic Pole (purchased separately). The brushless motor delivers the power and cutting speed to cut branches up to 200mm in diameter, with ease. Tackle even the most difficult tasks with 0° - 180° articulation, and additional twist rotation.















BAR LENGTH	25cm
CHAIN TYPE	Oregon 90PX040X (Pitch ³ /8", Gauge 1.1mm)
CHAIN SPEED	22m/s
RUN TIME*	2.5Ah Up to 110 cuts 4.0Ah Up to 182 cuts 5.0Ah Up to 231 cuts 7.5Ah Up to 379 cuts 10.0Ah Up to 455 cuts
SPEED CONTROL	Variable Speed
TOTAL LENGTH	140cm
TOTAL EXTENDED LENGTH	400cm
OIL TANK CAPACITY	180ml with worm gear
NOISE RATING LpA/LwA	85 dB(A) / 99 dB(A)
WEIGHT WITHOUT BATTERY	2.2kg
MOTOR TYPE	Brushless
VIBRATION (M/S ²)	1.2 m/s ²
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	PPCX1000: Includes PPX1000, PSX2500 pruning saw attachment and PTX5100 hedge trimmer attachment
*Number of cuts may vary and depend on the	e battery used, charge level of battery and user's

PSX2500

d on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.

=GO POWER PROFESSIONAL X TELESCOPIC HEDGE TRIMMER ATTACHMENT





NEW FOR 2021

GROUND, DOUBLE SIDED

Cleaner, more precise cutting

CUTTING BLADES

PTX5100

PROFESSIONAL-X TELESCOPIC HEDGE TRIMMER ATTACHMENT

For use with the EGO Power⁺ Professional-X Telescopic Pole (purchased separately). The brushless motor delivers the power, torque and chain-speed to cut branches up to 26mm in diameter, with ease. Tackle even the most difficult tasks with 6-position articulation, and additional twist rotation.



















*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.

EGO POWER* PROFESSIONAL-X TELESCOPIC POLE SYSTEM 59





THE PERFECT COMBINATION OF POWER, BALANCE AND COMFORT, OUR LINE TRIMMERS AND BRUSH CUTTER CUT EVERY JOB DOWN TO SIZE.





TRIM WITH **POWER AND CONTROL**

Powered by the 56V Arc Lithium battery, EGO Power⁺ line trimmers give you all the power you need to tackle the toughest jobs. The quick-adjust loop-handle can be positioned for optimum balance and control, while the large cutting swathe cuts any task down to size. Plus, the variable speed control ensures consistent trimming every time.

Built with ease-of-use in mind, ergonomic design, super-fast charging and groundbreaking Powerload™ technology* combine to create a truly revolutionary tool.

EGO's range of Line Trimmers includes options suitable for different types of terrain and even the toughest rough ground; wider handles for control over larger areas and bigger tasks, single-shoulder and double-shoulder harnesses for extra comfort and support, plus a Brush Cutter blade head for tackling tougher undergrowth.

> **BRUSHLESS MOTOR** Delivers more power and greater run time, soft-start extends motor life

Please note: some features are not available on all models Model shown: ST1510E *Available on selected models.

LARGE CUTTING SWATHE For faster, more efficient trimming



QUICK-ADJUST HANDLE

comfortable operation



Solving one of the biggest frustrations of line replacement, EGO's ground-breaking Powerload™ technology automatically loads the line into the trimmer head. Just thread the line, press the Powerload™ button and let the tool do the rest. Available on ST1510E and ST1400E-ST.



STEP 1 Thread the line



STEP 2 Press the Powerload™ button to load new line













ST1300E-S 33cm LINE TRIMMER

Two-speed, 33cm cutting swathe with bump head line feed and easy line replacement. Ideal for the smaller garden.





ST1400E-ST 35cm LINE TRIMMER

35cm cutting swathe with Powerload™ technology for automatic line replacement. Features a telescopic shaft for adjustment to fit any user and adjustable handle for edge-trimming of lawns.

POWERLOAD" TECHNOLOGY ,





POWERLOAD" TECHNOLOGY

ST1510E 38cm LINE TRIMMER

The world's first line trimmer with Powerload™ technology for automatic line replacement. Features variable speed and large 38cm cutting swathe.





ST1530E

38cm LINE TRIMMER

Variable speed, large 38cm cutting swathe with bump head line feed and rapid reload line replacement.



	ST1300E-S	ST1400E-ST	ST1510E	ST1530E		
CUTTING WIDTH - Line trimmer head	33cm	35cm	38cm	38cm		
TOTAL LENGTH	173cm	165-183cm	173cm	167cm		
RUN TIME*	2.5Ah Up to 70 mins 4.0Ah Up to 110 mins 5.0Ah Up to 140 mins 7.5Ah Up to 210 mins 10.0Ah Up to 280 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 7.5Ah Up to 165 mins 10.0Ah Up to 240 mins	2.5Ah Up to 30 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 7.5Ah Up to 90 mins 10.0Ah Up to 120 mins	2.5Ah Up to 18 mins 4.0Ah Up to 36 mins 5.0Ah Up to 45 mins 7.5Ah Up to 72 mins 10.0Ah Up to 90 mins		
SPEED CONTROL	Constant speed	Variable speed	Constant speed	Constant speed		
SPEED GONINUL	Two-speed	Two-speed	Variable speed	Two-speed		
NO LOAD SPEEDS	5,200/6,500rpm	3,500-5,800rpm	4,000-5,800rpm	6,000/7,000rpm		
LINE DIAMETER SUPPLIED	2.0mm	2.4mm	2.4mm	2.4mm		
LINE FEED	Bump feed head	Powerload™ head	Powerload™ head	Rapid reload bump feed head		
DUAL LINE	Yes	Yes	Yes	Yes		
ROTATING DIRECTION	Clockwise	Clockwise	Clockwise	Anti clockwise		
AUXILIARY HANDLE	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust		
HARNESS	N/A	N/A	Single shoulder	Single shoulder		
WEIGHT WITHOUT BATTERY	2.7kg	3.4kg	3.2kg	4.2kg		
VIBRATION (M/S²)	2.1/1.2	3.2/2.3	1.1/1.5	3.9/2.7		
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless		
NOISE RATING Lpa/Lwa	75dB(A) 93dB(A)	69dB(A) 89dB(A)	79.3dB(A) 93dB(A)	82.6dB(A) 96dB(A)		
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years		
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years		
AVAILABLE AS A KIT	ST1301E-S: Includes 2.5Ah battery and standard charger	ST1401E-ST: Includes 2.5Ah battery and standard charger	ST1511E: Includes 2.5Ah battery and standard charger	-		

 ${}^{\star}\!Run\,time\,\,may\,\,vary\,\,and\,\,depend\,\,on\,\,the\,\,battery\,\,used,\,charge\,\,level\,\,of\,\,battery,\,condition\,\,of\,\,grass\,\,and\,\,user's\,\,operation\,\,technique.$

64 | EGO POWER* LINE TRIMMERS | 65



POWER BRUSH CUTTER/LINE TRIMMER





BC3800E

30/38cm BRUSH CUTTER / LINE TRIMMER

RAPID Reload Head

The three-sided blade and brushless motor has the power to clear virtually any ground. Can be used as either a brush cutter or line trimmer.



BRUSHLESS MOTOR



	BC3800E			
CUTTING WIDTH				
- Three-sided blade	30cm			
- Line trimmer head	38cm			
TOTAL LENGTH	186cm			
RUN TIME*	2.5Ah Up to 20 mins 4.0Ah Up to 32 mins 5.0Ah Up to 40 mins 7.5Ah Up to 65 mins 10.0Ah Up to 80 mins			
BLADE MATERIAL	Three-sided steel blade			
SPEED CONTROL	Constant variable speed			
LINE DIAMETER SUPPLIED	2.4mm			
LINE FEED	Rapid reload bump feed head			
ROTATING DIRECTION	Anti clockwise			
WEIGHT WITHOUT BATTERY				
- Three-sided blade	4.6kg			
- Line trimmer head	4.4kg			
VIBRATION (M/S ²)				
- Three-sided blade	1.5/1.9			
- Line trimmer head	2.3/2.4			
MOTOR TYPE	Brushless			
NOISE RATING LpA/LwA	80dB(A) 96dB(A)			
DOMESTIC WARRANTY	5 years			
PROFESSIONAL WARRANTY	2 years			

un time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.

PART	DESCRIPTION		ST1300E	ST1400E-ST	ST1500E-F	ST1510E	ST1530E	BC1500E-F	BC3800E	BCX3800	STX3800	STA1500	BCA1200	RTA2300
ROTOCUT			0.10001	0.2.002.0.	0.120001	V	0.10001		2000002					
RTX2300	Professional-X Rotocut Attachment						0		0	0	0	0	0	0
ABR2300	Replacement blades (pair) - ROTOCUT RTX2300						0		0	0	0	0	0	0
TRIMMER SP	DOLS (WITH LINE)													
AS1300	Spool with 2.4mm twist line for standard bump feed cutting head - ST1500E, BC1500E				0			0						
AS1302	Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E		0											
AS3800	Spool w/o line for bump feed cutting head - BCX3800, STX3800									0	0			
TRIMMER LIN	E													
AL2015T	15m 2.0mm twist line - ST1300E (green)	♦	•	0										
AL2050T	50m 2.0mm twist line - ST1300E (green)	♦	•	0										
AL2415T	15m 2.4mm twist line [orange/green] -	\rightarrow		•	•	•	•	•	•	•	•	•		
AL2715T	15m 2.7mm twist line [red/green] - STX3800, BCX3800	♦								0	0			
AL3012T	12m 3.0mm twist line [yellow/green] - STX3800, BCX3800	\rightarrow								0	0			
AL2475T	75m 2.4mm twist line [orange/green] - ALL 35cm & 38cm cutting diameter grass trimmers	\		•	•	•	•	•	•	•	•	•		
AL2760T	60m 2.7mm twist line [red/green] - STX3800, BCX3800	\								0	0			
AL3050T	50m 3.0mm twist line [yellow/green] - STX3800, BCX3800	\								0	0			
AL2415R	15m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	•		0	0	0	0	0	0	0	0	0		
AL2715R	15m 2.7mm round line [red] - STX3800, BCX3800	•								0	0			
AL3012R	12m 3.0mm round line [yellow] - STX3800, BCX3800	•								0	0			
AL2490R	90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	•		0	0	0	0	0	0	0	0	0		
AL2780R	80m 2.7mm round line [red] - STX3800, BCX3800	•								0	0			
AL3060R	60m 3.0mm round line [yellow] - STX3800, BCX3800	•								0	0			
AL2416P	4 x 4.0m 2.4mm Pre-cut twisted line [black/orange] - ST1400E-ST, ST1510E	\		•		•								
CUTTING HEA	ADS													
AH1520	POWERLOAD cutting head - ST1510E					0								
AH1522	POWERLOAD cutting head - ST1400E- ST			0										
AH1530	ANY INSERT cutting head - CLOCKWISE - ST1500E-F, BC1500E-F				0			0						
AH1531	ANY INSERT cutting head - ANTI- CLOCKWISE - ST1530E, BC3800E, STA1500						0		0			0		
AH3800	Bump feed cutting head - STX3800, BCX3800									0	0			
AH3810	ANY INSERT cutting head - ANTI- CLOCKWISE - ST1530E, BC3800E, STX3800, BCX3800, STA1500, BCA1200									0	0			
ABT3800	Bump feed button - AH3800									0	0			
CUTTING BLA	DES													
ABB1203	3 point brush cutter blade - STX3800, BCX3800, ST1530E, BC3800, BCA1200						0		0	0	0	0	0	
ABB0903P	511530E, BG3800, BGA1200						0		0	0	0	0	0	
STRAPS AND														
AP1500	Single-shoulder harness with one hook - multi-tool and all grass trimmers.		0	0	0	0	0	0	0	0	0	0	0	0
AP1500D	Double-shoulder harness with guard pad - multi-tool & all grass trimmers except BCX3800 & STX3800 (cannot be used with BH1000 or BHX1000)		0	0	0	0	0	0			0	0	0	0
AHP1300	Leg protector / line trimmer harness attachment - Only to be used with AFH1300, BH1000		0	0	0	0	0	0	0	0	0	0	0	0
AHP1500	Leg protector / line trimmer harness attachment - Only to be used with AFH1500, BHX1000									0	0			

n of grass and user's operation technique.

= Line supplied = Compatible with

=GO POWER PROFESSIONAL X LINE TRIMMER/BRUSH CUTTER



4000-5800s





BCX3800

PROFESSIONAL-X LINE TRIMMER / BRUSH CUTTER (BIKE HANDLE)

Leave the fuss and fumes of petrol behind with this powerful, pro-standard tool. Pair up with our Professional-X backpack battery BAX1500 for all-day power and comfort.















PROFESSIONAL-X LINE TRIMMER / BRUSH CUTTER (LOOP HANDLE)

Our Professional-X line trimmer provides the same power and performance as petrol. Now with a quick adjustable handle, pair up with our Professional-X backpack battery BAX1500 for all-day power and comfort.













EFFICIENT AND POWERFUL Brushless motor For longer running times

THE TOUGH **ANSWER TO ROUGH GROUND**

Perfectly balanced for comfortable use, EGO's Professional-X line trimmers / brush cutters make short work of even the roughest ground with the ready-for-anything 2KW motor.

Light yet strong, the solid steel drive shaft is housed in a carbon fibre drive tube. Unlike alloy shafts, it won't bend and lose its shape over time, keeping vibration levels to a minimum.



VARIABLE SPEED TRIGGER WITH SAFETY LOCK-OFF For efficient, safe working

CARBON FIBRE DRIVE SHAFT Won't bend and lose shape over time, keeping vibration levels







refilling and extending

the line as you work

CUTTING WIDTH							
 Line trimmer head 	38cm		38cm				
 Three-sided blade 	30cm		30cm				
TOTAL LENGTH	186cm		186cm				
RUN TIME* WITH	With trimmer head	With brush cutter head	With trimmer head	With brush cutter head			
BAX1500 BATTERY	Up to 300 mins	Up to 420 mins	Up to 300 mins	Up to 420 mins			
BLADE MATERIAL	Three-sided steel bla	de	Three-sided steel blade				
SPEED CONTROL	Constant variable spe	eed	Constant variable speed				
NO LOAD SPEEDS	5800rpm		5800rpm				
SOFT-START	Yes		Yes				
LINE DIAMETER SUPPLIED	2.4mm		2.4 mm				
LINE FEED	Manual wind bump fe	eed head	Manual wind bump feed head				
DUAL LINE	Yes		Yes				
ROTATING DIRECTION	Anti clockwise		Anti clockwise				
AUXILIARY HANDLE	Bike handle		Quick adjustable loop	Quick adjustable loop handle			
HARNESS	Hip pad (AHP1500)		_				
WEIGHT	6.8kg	6.5kg	6.5kg	6.2kg			
MOTOR TYPE	Brushless		Brushless				
	With trimmer head	With brush cutter head	With trimmer head	With brush cutter head			
NOISE RATING LpA/LwA	81dB(A) 94dB(A)	83 dB(A) 96 dB(A)	81dB(A) 94dB(A)	83dB(A) 96dB(A)			
VIBRATION (M/S2)	1.9/1.5	1.9/1.3	2.3/1.5	1.9/4.3			
DOMESTIC WARRANTY	5 years		5 years				
PROFESSIONAL WARRANTY	3 years		3 years				

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique















PROTECT THE AREA **AROUND YOU**



The EGO Professional-X Rotocut attachment cuts through grass, weeds and moss on concrete, pathways and verges with ease.

Featuring two counter-rotating blades instead of line, it maximises run-time and reduces vibration. Most importantly, it prevents debris from being thrown, making it ideal for use in built-up areas where risk of damage or injury is particularly acute. With a low profile on the gear box, it can take on the most difficult to reach areas.

The base plate is mounted on bearings, increasing the overall life of the tool and reducing pavement damage. The blades have been designed to ensure clean and efficient cutting performance whilst maintaining durability.

Rotocut can be used with any rear motored tools or EGO line trimmer multi tools, making it the ultimate attachment for added precision and protection.



RTX2300 PROFESSIONAL-X ROTOCUT

Rotocut's flat design and simple attachment process means it can fit to most rear motor brush cutters and line trimmers on the market.








	RTX2300			
CUTTING WIDTH	23cm			
RUN TIME*	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins BAX1500 Up to 325 mins			
ROTATING DIRECTION	Two blades counter rotation			
BLADE TYPE	High strength alloy steel			
WEIGHT	1.9kg			
VIBRATION (M/S ²)	1.1/1.5			
NOISE RATING LpA/LwA	79.3dB(A) 93dB(A)			
CUTTING SPEED	450rpm			
COMPATIBLE EGO TOOLS	STX3800 / BCX3800 / ST1530E / BC3800E / STA1500 / BCA1200			
DOMESTIC WARRANTY	5 years			
PROFESSIONAL WARRANTY	3 years			

*Run time may vary and depend on the battery used, charge level of battery and user's operation technique.





LIGHT, YET POWERFUL, OUR NEXT GENERATION OF CORDLESS HEDGE TRIMMERS GIVE YOU ALL THE COMFORT AND CONTROL YOU NEED TO GET THE JOB DONE.











GRASS TRIMMER ATTACHMENT
Quick and easy edge trimming -

11.5cm cutting width



12V LITHIUM-ION Battery

COMPACT WITHOUT COMPROMISE

They may be compact, but they don't compromise on power.

Brought to life by a 12V Lithium-lon battery, the EGO Power⁺
shrub/grass shears are ideal for everyday garden maintenance.

With two attachments included, use the shrub blade to shape and maintain smaller hedges and ornamental trees, or switch to the grass trimmer blade to tackle areas of grass that mowers can't reach.

A lightweight, ergonomic design allows for unparalleled precision in either mode, so you can get the perfect result every time.

Simple to use and easy to store, they're are an essential addition to every gardener's arsenal.







CHT2001E 12V SHRUB/GRASS SHEARS

Single speed 20cm blade length, 8mm blade gap with single knife edge cutting action. Can be used as either shrub or grass shears.









SIMPLE ATTACHMENT For different blade sets

POWERFUL MOTOR

2400 spm 2.0Ah battery

	CHT2001E
GRASS CUTTER BLADE WIDTH	11.5cm
HEDGE TRIMMER BLADE LENGTH	20cm
HEDGE TRIMMER BLADE GAP	8mm
RUN TIME	Up to 70 mins
SPEED CONTROL	Single-speed
NO LOAD SPEEDS	2400 spm
BLADE TYPE	Laser cut
CUTTING ACTION	Dual action; single-sided cutting blade
BLADE TIP PROTECTOR	No
STANDARD BATTERY	2.0Ah
CHARGE TIME	3.5 hours
WEIGHT WITH BATTERY	1.1kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	-

Model Shown: CHT2001E

74 | EGO POWER* 12V SHRUB / GRASS SHEARS | 75

adaataati







BALANCED, PRECISE,


Engineered to deliver impressive cutting ability from a single charge, the EGO Power+ Hedge Trimmer's well-balanced design and clever features makes working outdoors easier and more comfortable.

The rotating handle and dual trigger system provide enhanced user comfort and safety. While the smooth and quiet brushless motor and gearbox gives you all the power you need, without the vibration, emissions and noise of a petrol engine.

EGO hedge trimmer blades are laser cut, diamond ground and double sided for clean, precise cutting. All blades have large cutting capacities for tackling thicker hedges and are available in 51cm to 65cm lengths, to suit every size of hedge. Blade-tip protection stops damage from fences and walls.

For safer working, the safety blade guard helps prevent injuries while the electric brake stops the blades when the trigger is released.

> Prevents blades becoming damaged by fences and walls



ROBUST METAL ALLOY Brushless motor Housing and Gearbox

ELECTRIC SAFETY BRAKE Stops blade when trigger is released

DUAL ACTION BLADES For less vibration

when cutting

TWO-SPEED SELECTOR Select the correct speed for each trimming task

> ROTATING REAR HANDLE Adjustable for comfort and control in use

SAFETY BLADE GUARD Helps prevent injuries



Model Shown: HT6500E

Please note: some features are not available on all models












HT5100E

51cm HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting narrower/long hedges with thicker stem widths.







HT6500E

65cm HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting wider/long hedges with thicker stem widths.





EGO POWER

51cm HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting narrower small-to-medium hedges with thick stem widths.















HT2410E

61cm HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting wider medium hedges with thick stem widths.









		l		l
	HT2000E	HT2410E	HT5100E	HT6500E
BLADE LENGTH	51cm	61cm	51cm	65cm
BLADE GAP	25mm	26mm	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm	20mm	20mm
RUN TIME [*]	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins	2.5Ah Up to 40 mins 4.0Ah Up to 70 mins 5.0Ah Up to 82 mins 7.5Ah Up to 125 mins 10.0Ah Up to 164 mins	2.5Ah Up to 33 mins 4.0Ah Up to 60 mins 5.0Ah Up to 72 mins 7.5Ah Up to 110 mins 10.0Ah Up to 144 mins
SPEED CONTROL	Single speed	Single speed	Two-speed	Two-speed
NO LOAD SPEEDS	3,000spm	3,000spm	2,800/3,200spm	2,800/3,200spm
BLADE TYPE	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground
CUTTING ACTION	Dual action; single-sided cutting blade	Dual action; single-sided cutting blade	Dual action; double-sided cutting blade	Dual action; double-sided cutting blade
BLADE TIP PROTECTOR	Yes	Yes	Yes	Yes
NOISE RATING Lpa/Lwa	81dB(A) 94dB(A)	83 dB(A) 96dB(A)	81dB(A) 92dB(A)	81.4 dB(A) 93 dB(A)
ROTATING HANDLE	No	No	45° and 90° left and right	45° and 90° left and right
WEIGHT WITHOUT BATTERY	2.8kg	3kg	3.6kg	3.8kg
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless
VIBRATION (M/S2)	2/1.5	1.8/1.7	3.4/1.9	5.3/3.1
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT	-	HT2411E: Includes 2.5Ah battery and standard charger	-	-

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.

78 | EGO POWER* HEDGE TRIMMERS EGO POWER* HEDGE TRIMMERS 79



POWER PROFESSIONAL X HEDGE TRIMMER









HTX6500 65CM PROFESSIONAL-X HEDGE TRIMMER

Variable speed, double-knife edge cutting action makes light work of any job, big or small. Dual trigger system provides enhanced user comfort and safety.















THE REAL PROPERTY OF THE PARTY OF THE PARTY







75CM PROFESSIONAL-X HEDGE TRIMMER

Ideal for wider, larger hedges, variable speed, double-knife edge cutting action makes light work of any garden job. Dual trigger system provides enhanced user comfort and safety.



















CUTS CLEANER, RUNS LONGER. MAKES CUTTING **HEDGES SHORT WORK**

Designed for professionals, the Professional-X hedge trimmers are precision engineered to tackle the toughest hedges with ease.

A single charge delivers impressive run times, while the smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, emissions and noise of a petrol engine.

Blades that cut cleanly

The high-quality EGO Power⁺ blades are made from laser-cut steel with diamond-ground edges to provide the cleanest cut and promote healthier hedges.



UNIQUE HANDLE And trigger design For switching effortlessly between horizontal and

vertical cutting

LOW CUTTER GUARD For safe and easy access

CUTTING CAPACITY

LASER CUT DIAMOND GROUND BLADES

	HTX6500	HTX7500
BLADE LENGTH	65cm	75cm
BLADE GAP	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm
RUN TIME* WITH BAX1500 BATTERY	Up to 420 mins	Up to 380 mins
SPEED CONTROL	Variable speed	Variable speed
NO LOAD SPEEDS	3200spm	3200spm
BLADE TYPE	Double-sided cutting	Double-sided cutting
CUTTING ACTION	Dual action; double-sided cutting	Dual action; double-sided cutting
BLADE TIP PROTECTOR	Yes	Yes
ROTATING HANDLE	No	No
WEIGHT	3.9kg	4.0kg
MOTOR TYPE	Brushless	Brushless
NOISE RATING	80 dB(A)	83.9 dB(A)
LpA/LwA	90.1dB(A)	95.4dB(A)
VIBRATION (M/S ²)	3.2/3.9	2.9/3.5
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	3 years	3 years


*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique

BLADE TIP PROTECTOR

Prevents blades becoming damaged by fences and walls

Model Shown: HTX7500

mmmmmm





WITH HIGH-EFFICIENCY BRUSHLESS MOTORS AND JET TURBINE TECHNOLOGY, EGO POWER* BLOWERS AND SNOW THROWER OFFER MAXIMUM AIRFLOW WITH MINIMUM EFFORT.










BLOWS PETROL-POWERED BLOWERS **OUT OF THE PARK**

Powered by a high-efficiency brushless motor, EGO Power* blowers feature jet turbine technology and a large diameter tube to give maximum airflow.

Significantly quieter and with zero emissions, the EGO range of blowers offer a genuine alternative to petrol power.

Designed to keep you in control - from low speed, low volume airflow for those delicate areas, to high speed, high volume airflow for hard-to-shift wet leaves and objects. With more power than most handheld petrol blowers on the market, that's more than enough to clear up even the biggest windfall.







For a 986m³/h petrol-blower beating output



HIGH-EFFICIENCY Brushless motor Delivers more power and greater run time



TURBINE FAN ENGINEERING Utilises advanced

LARGE BLOWER TUBE Greater diameter delivers

Model Shown: LB5800E


Please note: some features are not available on all models













LB5300E **BLOWER**

Variable speed setting, large blower tube, up to 900m³/h output in Boost, for clearing small to medium-sized spaces.









Includes AN5300 Flat Nozzle





LB5800E **BLOWER**

Variable speed thumb selector for added airflow control with single handed use, 986m³/h output in Boost, for completing bigger tasks across wider areas and large gardens.













Includes ANGOOOR (Round) and ANGOOOF (Flat) Nozzels



	LB5300E				LB5800E					
RUN TIME*	BATTERY SIZE				BATTERY SIZE					
	2.5Ah	4.0Ah	5.0Ah	7.5Ah	10.0Ah	2.5Ah	4.0Ah	5.0Ah	7.5Ah	10.0Ah
LOW SPEED	Up to 75 mins	Up to 120 mins	Up to 150 mins	Up to 225 mins	Up to 300 mins	Up to 100 mins	Up to 160 mins	Up to 200 mins	Up to 300 mins	Up to 400 mins
HIGH SPEED	Up to 22 mins	Up to 35 mins	Up to 44 mins	Up to 66 mins	Up to 88 mins	Up to 15 mins	Up to 24 mins	Up to 30 mins	Up to 45 mins	Up to 60 mins
BOOST	Up to 10 mins	Up to 16 mins	Up to 20 mins	Up to 30 mins	Up to 40 mins	Up to 9 mins	Up to 14 mins	Up to 18 mins	Up to 27 mins	Up to 36 mins
			Max			Max				
AIR VOLUME (M³/H)			900			986				
AIR SPEED (KM/H)		176			270					
FORCE (N)	16			18						
SPEED SETTING	Variable speed with boost			Constant variable speed with lock-on + boost						
WEIGHT WITHOUT BATTERY	2.2kg	2.2kg			2.2kg					
MOTOR TYPE	Brushless	Brushless			Brushless					
NOISE RATING Lpa/Lwa	82 dB(A) 100 dB(A)				78.4 dB(A) 95 dB(A)					
VIBRATION (M/S ²)	1.35			0.18						
DOMESTIC WARRANTY	5 years			5 years						
PROFESSIONAL WARRANTY	1 year			2 years						
AVAILABLE AS A KIT	LB5301E: Ir	ncludes 2.5Al	n battery and	standard cha	arger	-				

*Run time may vary and depend on the battery used, charge level of battery and user's operation technique

86 | EGO POWER* BLOWERS EGO POWER+ BLOWERS | 87





COMFORTABLE AND STURDY BACKPACK FRAME

For comfort during long periods of use



POWER SETTING SWITCH For efficient power management

ADJUSTABLE HANDLE For greater reach,



VARIABLE SPEED TRIGGER For precise blowing

> VARIABLE LENGTH TUBE For greater comfort and control

FLEXIBLE TUBE Gives greater movement and comfort whilst in use

THE BACKPACK **BLOWER THAT PACKS A PUNCH**

Big jobs need big power. And that's what the EGO Power+ backpack blower delivers. With the ability to blow over 1020m3 of air per hour on Max mode, the leaves don't stand a chance. With up to 2 hours run time* you can cover plenty of ground too.

But there's more to this clever blower than simply packing a punch. The smooth brushless motor significantly reduces vibration compared to its petrol-powered equivalents. It's a lot quieter too. The comfortable padded backpack frame supports the blower, taking the strain off your arm and distributing the weight more ergonomically, making the backpack blower perfect for those really big jobs.

POWER POWER

COMPATIBLE WITH ALL

EGO POWER* BATTERIES

BACKPACK BLOWER

The hugely powerful, yet ergonomic design is easy to use and packed with all the features you need.











HIGH POWERED BRUSHLESS MOTOR Delivers high air volume and speed, but with

much lower levels of vibration and a lot quieter than petrol-powered equivalents.



	LB6000E					
	Low	High	Max			
RUN TIME** WITH 5.0Ah BATTERY	120 mins	22 mins	15 mins			
RUN TIME** WITH 10.0Ah Battery	240 mins	44 mins	30 mins			
AIR VOLUME (M³/H)	440	850	1020			
AIR SPEED (KM/H)	80	160	193			
SPEED SETTING	Variable speed v	vith boost				
FORCE (N)	19.2 Max					
MOTOR TYPE	Brushless					
NOISE RATING LpA/LwA	83dB(A) 97dB(A)					
VIBRATION (M/S ²)	1.5					
WEIGHT WITHOUT BATTERY	5.7kg					
DOMESTIC WARRANTY	5 years					
PROFESSIONAL WARRANTY	2 years					
AVAILABLE AS A KIT		es 5.0Ah battery a E-K1103 Includes er				

^{*120}min. at 440 m3/h with 5.0Ah battery - Low air setting.









LBX6000

PROFESSIONAL-X BLOWER

Designed to be used with the Professional-X Backpack Battery BAX1500, this powerful blower is light and easy to handle. Plus, the smooth brushless motor reduces vibration and noise compared to its petrol-powered equivalents.


















*Run time may vary and depend on the battery used, charge level of the battery and user's operation technique

AIR SPEED: 212km/h





OUTPOWERS

The LBX6000 is our most powerful handheld blower yet. Delivering more blowing time, more power and more comfort than petrol.

Designed with the professional user in mind, engineered to minimise noise and vibration, making it ideal for extended use.

With the ability to blow over 1014m³ of air per hour on Boost mode - for the toughest tasks.



Model Shown: LBX6000

90 | EGO POWER* PROFESSIONAL-X BLOWER EGO POWER* PROFESSIONAL-X BLOWER 91





EFFICIENT SNOW

The new EGO POWER+ Professional 2-Stage Snow Thrower delivers the power and performance of equivalent petrol-powered products, without the noise, fuss and emissions.

Peak Power™ technology combines the power of any two EGO 56V Arc Lithium™ batteries to tackle the toughest snow conditions with ease - two batteries are used to provide maximum power when tackling tougher jobs. Variable-speed self-propelled control ensures ease of use, while a reverse gear makes getting out of tight spots easier.

The 61cm clearing-width and 51cm intake-height can handle even the deepest snow quickly. More than 35cm depth of snow can be cleared with ease from an 8-car driveway, while the 4 LED lights help make early morning or evening clearing easy. Variable-speed augers and 200° chute adjustment give you complete control of direction and throwing distance of up to 13 metres, while the on-board controls are easy to operate, even when wearing bulky winter gloves.



NEW FOR 2021

SNT2400E

61 CM SELF-PROPELLED 2-STAGE SNOW THROWER WITH PEAK POWER™

Peak Power™ technology delivers maximum power so the EGO Snow Thrower can tackle the deepest snow with ease. The generous clearing width and intake-height work with the multi-directional shoot to clear snow quickly even in extreme conditions.
























	SNT2400E
CLEARING AREA @ 15CM DEPTH	223m²
PLOUGHING CAPACITY	950kg/min
NUMBER OF BATTERY PORTS	2 parallel
CLEARING WIDTH	61cm
INTAKE HEIGHT	51cm
CHUTE ROTATION	200° Joystick control
THROWING DISTANCE (MAX)	13m
THROWING DISTANCE (HEAVY SNOW)	7.6m
AUGER MATERIAL & DIAMETER	Steel 28cm
NUMBER OF STAGES	2
SELF PROPELLED SPEED	0.4-1.2m/s
REVERSE	Yes
WEIGHT WITHOUT BATTERY	68kg
MOTOR TYPE	Brushless
NOISE RATING	83dB(A)
LpA/LwA	97dB(A)
VIBRATION (M/S ²)	0.3/0.4
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	2 years
AVAILABLE AS A KIT	SNT2400E-K2753: Includes 2x BA4200T, 2x CH5500E







WE'VE RE-DEFINED FLEXIBLE WORKING. CUT, SAW, EDGE AND MORE. ALL WITH ONE POWER UNIT AND ALL WITHOUT THE FUSS AND FUMES OF PETROL.



94 | EGO POWER* MULTI-TOOL





THE EGO POWER+ MULTI-TOOL. ONE TOOL, LOTS OF OPTIONS

The EGO Power⁺ multi-tool is the outdoor power tool you can't do without. With a single power unit and a large range of high-tech attachments, you can easily tackle every garden task, whether you're trimming grass, edging lawns, cutting hedges, sawing branches, tilling soil or sweeping the patio.

Switching between different jobs is easy thanks to the simple and secure tool-free coupling system on every attachment.

And with our carbon fibre extension pole, even the hardest to reach places are no challenge for the multi-tool. Combined with the innovative 56V Arc Lithium battery, you have all the power you need, without the noise, fuss or emissions of petrol-powered tools.



96 | EGO POWER* MULTI-TOOL | 97









POWERFUL REAR MOUNTED MOTOR Smooth, lightweight high-efficiency brushless motor, provides the power for all EGO Power+ multi-tool attachments.

ADJUSTABLE Loop Handle

THE POWER TO TACKLE ANY TASK



MULTI-TOOL POWER HEAD

With a powerful and smooth high-efficiency brushless motor, it's lightweight, perfectly balanced and ready for any job, big or small.




















SIMPLE AND SECURE

COUPLING MECHANISM Makes switching

attachments quick and easy



speed trigger to select the correct speed for each task



VARIABLE SPEED TRIGGER

With safety lock-off

EP7501 EXTENSION POLE

Nothing is out of reach with this strong yet lightweight extension pole. Just click in the attachment you need and off you go.



TOTAL LENGTH: 78cm







ONE REVOLUTIONARY POWER UNIT. SO MANY WAYS TO USE IT.



01 HEDGE TRIMMERS

With a choice of standard or short pole lengths available, tackling high or low hedges is made easy. The head angle is adjustable to suit the job at hand and allows for compact storage.



06 EDGER

Give lawns a professional finish with the edger attachment. Ideal for neatening edges along paths, driveways or flowerbeds.



02 POLE SAW

Slices through tree branches fast and efficiently.

Combine with the carbon fibre extension pole
to reach further and cut more.



07 CULTIVATOR

The cultivator prepares soil prior to planting.
Removing weeds and introducing
air, it creates a loose bed, encouraging
the growth of healthy plant life.





03 LINE TRIMMER

Trim grass along fences and walls with precision. Includes our Rapid Reload head, making it easy to replace line.



7 08 Bristle Brush & Paddle Broom

The bristle brush makes short work of sweeping away moss, wet leaves and ingrained dirt, whilst the paddle broom makes it easy to clear away standing water.



04 BRUSH CUTTER

The brush cutter is built to deal with difficult undergrowth. From thick grass to tough weeds, it cuts through the toughest tasks with ease.



09 OLIVE SHAKER

Shake ripe olives off branches at approximately 2000 strokes per minute, with 10 replaceable carbon fibre fingers, a durable and market tested gearbox and integrated lubrication for simple maintenance.







05 ROTOCUT

Cuts through grass, weeds and moss on concrete, pathways and verges with ease. Featuring two counterrotating blades, preventing debris from being thrown.



10 SNOW SHOVEL

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.



100 | EGO POWER* MULTI-TOOL | 101








HEDGE TRIMMER ATTACHMENT

Laser cut, diamond ground blades and simple angle adjustment makes this trimmer as precise as it is powerful.




LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently.



SHORT HEDGE TRIMMER ATTACHMENT

With the same sharp blades and quick cutting action, this attachment makes short work of low, deep hedges.



BRUSH CUTTER ATTACHMENT

Tough enough to take on anything, the three-sided metal blade makes short work of any overgrown area.







POLE SAW ATTACHMENT

25cm guide bar and chain make cutting branches fast and efficient.







ROTOCUT ATTACHMENT

Cuts through grass, weeds and moss with ease. Featuring two counter rotating blades which prevent debris from being thrown make it ideal for use in delicate areas.









EDGER ATTACHMENT

With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy.







OSA1000 **OLIVE SHAKER ATTACHMENT**

10 carbon fibre fingers shake and drop olives from their branches in no time at all.



CULTIVATOR ATTACHMENT

The easier way to prepare soil for planting, the cultivator's rotating teeth remove weeds and aerates soil.





SNOW SHOVEL ATTACHMENT

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.

NEW FOR 2021



BRISTLE BRUSH ATTACHMENT

Clear moss and wet leaves from hard surfaces easily with the new bristle brush attachment.





WHEELED MULTI-TOOL BAG

Wheeled bag for easily transporting multi-tool power head and attachments. Separate pockets for storing accessories.

Available separately see page 109.



102 | EGO POWER* MULTI-TOOL EGO POWER* MULTI-TOOL | 103





	HTA2000 / HTA2000S	PSA1000	STA1500	BCA1200	RTA2300
WEIGHT	2.3kg / 2.2kg	1.9kg	1.6kg	1.8kg	2kg
TOTAL LENGTH	160cm (99cm folded) / 120cm	142cm	97cm	102cm	-
RUN TIME*	2.5Ah Up to 37 mins 4.0Ah Up to 65 mins 5.0Ah Up to 82 mins 7.5Ah Up to 122 mins 10.0Ah Up to 157 mins	2.5Ah Up to 70 cuts 4.0Ah Up to 110 cuts 5.0Ah Up to 140 cuts 7.5Ah Up to 210 cuts 10.0Ah Up to 285 cuts	2.5Ah Up to 18 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins 7.5Ah Up to 72 mins 10.0Ah Up to 93 mins	2.5Ah Up to 27 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 7.5Ah Up to 95 mins 10.0Ah Up to 125 mins	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins
BLADE LENGTH	51cm	_	-	-	-
CUTTING WIDTH	-	_	38cm	30cm	23cm
LINE DIAMETER SUPPLIED	-	_	2.4mm dual line	-	-
CUTTING HEAD	-	_	Rapid reload trimmer head	_	-
SHAFT TYPE	-	_	Straight	-	-
ARBOUR SIZE	-	_	_	25.4mm	_
CUTTING CAPACITY	26mm	_	_	_	_
BLADE MATERIAL AND TYPE	Double-sided laser cut steel blade	_	_	Three-sided steel blade	-
FIXED CUTTING ANGLES	12 / 9 articulating cutting angles	-	-	-	-
GUIDE BAR LENGTH	-	25cm	-	-	-
CHAIN PITCH / GAUGE	-	9.5mm, 1.1mm	-	-	-
MAX. CUTTING DIAMETER	-	200mm	_	-	-
OIL TANK CAPACITY	-	220ml	_	_	_
ROTATING DIRECTION	-	-	-	-	Two blades counter rotation
BLADE TYPE	-	-	_	_	High strength alloy steel
VIBRATION (M/S ²)	-	-	-	-	1.1/1.5
NOISE RATING	-	_	-	-	83dB(A) / 96dB(A)
CUTTING SPEED	-	-	-	-	450rpm
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years

	EA0800	CTA9500	BBA2100	OSA1000	SSA1200
WEIGHT	2.3kg	3.9kg	5kg	2.2kg	TBC
TOTAL LENGTH	92cm	92cm	102cm	140cm	TBC
RUN TIME*	2.5Ah N/A 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 7.5Ah Up to 100 mins 10.0Ah Up to 132 mins	2.5Ah Up to 40 mins 4.0Ah Up to 64 mins 5.0Ah Up to 80 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins	2.5Ah Up to 40 mins 4.0Ah Up to 64 mins 5.0Ah Up to 80 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins	2.5Ah Up to 50 mins 4.0Ah Up to 80 mins 5.0Ah Up to 100 mins 7.5Ah Up to 160 mins 10.0Ah Up to 210 mins	TBC
BLADE LENGTH	20cm	24cm	-	-	_
ROD LENGTH / DIAMETER	-	-	-	33cm/0.5cm	-
CUTTING DEPTH	Up to 75mm	-	-	-	-
BLADE THICKNESS	3mm	-	_	-	-
ROD QUANTITY	-	-	-	10 (5+5)	_
DEBRIS GUARD MATERIAL	Aluminium with rubber skirt	Plastic	Plastic	-	TBC
CUTTING WIDTH	-	21/24cm	-	-	-
CLEANING SWATH	-	-	560mm	-	300mm
TILLING SPEED	-	-	High 240rpm, Low 210rpm	-	2000-1650rpm
WORKING RANGE	-	-	-	58cm-33cm	-
BRISTLE GAUGE	-	-	1.5mm	-	-
ARBOUR SIZE	25.4mm	-	_	_	-
DIMENSION	-	-	102 x 56.5 x 29.5cm	-	TBC
ROD MATERIAL	-	-	-	Carbon fibre	-
STROKES PER MINUTE	-	-	-	1780/2120spm	-
MAX THROWING DISTANCE	-	-	_	-	7.5m
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years

*Run time may vary and depend on the battery used, charge level of battery, condition of grass or hedge and user's operation technique.

BE READY FOR ANYTHING WITH EGO POWER* MULTI-TOOL KITS

A great value way to enjoy all the benefits of petrol-free power. EGO Power⁺ multi-tool kits combine the most popular tools you'll need, with the power and performance to get the job done





104 | EGO POWER $^+$ multi-tool kits | 105

EVERYTHING YOU NEED TO KEEP YOU CUTTING, MOWING AND BLOWING

We've got everything you need to keep you working. And everything in the EGO Power+ accessories range is made with the same care and precision as our power tools.

EGO POWER⁺ **MULTI-TOOL BLADES,** CHAINS, BARS AND TELESCOPIC POLE SAW

AEB0800

Multi-tool edger blade for EA0800



AC1000

Pole saw chain for PSA1000 and PSX2500



Pole saw bar for PSA1000 and PSX2500



ACB9500

Multi-tool cultivator blade set for CTA9500



ARB2100

Paddle broom (pair) for BBA2100



ABS2100

Bristle brush (pair) for BBA2100



A0F3300

Olive Shaker fingers (10pcs) for OSA1000

EGO POWER⁺ **MOWER BLADES AND ROLLERS**

AB2001

Bagging blade for LM2010E, LM2010E-SP,LM2020E LM2020E-SP



AB2101

Bagging blade for LM2100E-SP, LM2120E-SP [fitted as standard]



AB2102D-E

52cm dual bagging blade for LM2130E-SP (2 blade set) [fitted as standard]



AB2000

Mulching blade for LM2000E, LM2010E. LM2010E-SP. LM2020E. LM2020E-SP



AB2100

Mulching blade for LM2100E-SP, LM2120E-SP



AB2100D-E

52cm dual mulching blade 🔉 for LM2130E-SP (2 blade set)



AB1700

Mulching blade for LM1700E, LM1700E-SP





AB1901

Bagging blade for LM1900E, LM1900E-SP [fitted as standard]



AR1700

Rear roller kit for LM1700E. LM1700E-SP

AR19NN

Rear roller kit for LM1900E, LM1900E-SP



MULCHING KITS

ABP1700

Mulching kit (blade & mulching plug) for LM1700E, LM1700E-SP



Mulching kit (blade & mulching plug) for LM1900E, LM1900E-SP



ABP2100D-E

52cm mulching kit (mulching blade set & mulching plug) for LM2130E-SP



EGO POWER* **ADAPTER**

ADB1000

Adaptor for use with BH1000, BHX1000. BAX1300. BAX1500



EGO POWER* TRIMMER LINES

AL2015R

15m 2.0mm round line - ST1210E

AL2050R

50m 2.0mm round line - ST1210E

AL2015T

15m 2.0mm twist line - ST1300E and ST1400E-ST

AI2050T

50m 2.0mm twist line - ST1300E and ST1400E-ST

AL2415T 🔷

15m 2.4mm low-noise twist line [orange/green] - ALL 35cm & 38cm cutting diameter grass trimmers

AL2715T 🔷

15m 2.7mm low-noise twist line [red/green] - STX3800, BCX3800

AL3012T 🔷

12m 3.0mm low-noise twist line [yellow/green] -STX3800. BCX3800

AL2475T 🔷

75m 2.4mm low-noise twist line [orange/green] -ALL 35cm & 38cm cutting diameter grass trimmers

AL276OT 🔷

60m 2.7mm low-noise twist line [red/green] - STX3800, BCX3800

AL3050T 🔷



50m 3.0mm low-noise twist line [yellow/green] -STX3800. BCX3800

AL2415R 🛑

15m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers

AL2715R

15m 2.7mm round line [red] - STX3800, BCX3800

AL3012R -

12m 3.0mm round line [yellow] - STX3800, BCX3800

AL249OR

90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers

AL278OR

80m 2.7mm round line [red] - STX3800, BCX3800

AL3060R

60m 3.0mm round line [yellow] - STX3800, BCX3800

AL2416P 🔷

4 x 4.0m 2.4mm twisted line [black/orange] - ST1400E-ST, ST1510E

EGO POWER⁺ **LINE TRIMMER SPOOLS**

AS3800

Spool w/o line for bump feed cutting head - BCX3800, STX3800



Spool with 2.0mm round line for standard bump feed cutting head - ST1210E

AS1302

Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E

AS1300

Spool with 2.4mm twist line for standard bump feed cutting head ST1500E. BC1500E



AH1501

Rapid reload head (anti clockwise rotation) for BC3800E, ST1530E and STA1500



AH1520

Powerload™ cutting head for ST1510E



AH1522

Powerload™ cutting head for ST1400E-ST



AH1530

ANY INSERT cutting head -CLOCKWISE - ST1500E-F. BC1500E-F



AH1531

ANY INSERT cutting head ANTI-CLOCKWISE - ST1530E. BC3800E, STA1500



ABT3800

Bump feed button - AH3800



ABR2300

Replacement blades (pair) - ROTOCUT RTX2300. RTA2300



EGO POWER⁺ **LINE TRIMMER RAPID RELOAD HEADS**

AH3800

Bump feed cutting head without line - STX3800. BCX3800



AH3810

AH1500

ANY INSERT cutting head -ANTI-CLOCKWISE - STX3800, BCX3800, ST1530E. BC3800E. STA1500. BCA1200



Rapid reload head (clockwise rotation) for ST1500E-F and BC1500E-F



EGO POWER⁺ **BRUSH CUTTER BLADE**

ABB1203

3 point brush cutter blade - STX3800. BCX3800. ST1530E.

BC3800E. BCA1200. STA1500



ABB0903P

Elastoblade Flexible trimming blade for - STX3800, BCX3800 ST1530E. BC3800E. BCA1200. STA1500





EGO POWER⁺

AC1200

AC1400

AC1600

AC1800

AG1200

AG1400

AG1600

AG1800

CHAINSAW CHAINS

30cm 90PX chain for CSX3000

35cm 90PX chain for CS1400E

40cm 90PX chain for CS1600E

45cm 91PX chain for CS1800E

EGO POWER⁺

CHAINSAW BARS

30cm guide bar for CSX3000

35cm guide bar for CS1400E

40cm guide bar for CS1600E

45cm guide bar for CS1800E

EGO POWER⁺ **HEDGE TRIMMER** TIP PROTECTOR

ATP2000

Tip protector for HTA2000, PTX5100



EGO POWER⁺ **GRASS SHEARS**

CCH0450E

12V charger for CHT2001E



CBA0240

2.0Ah 12V battery for CHT2001E



EGO POWER⁺ **BLOWER TUBES AND NOZZLES**

ANGOOOR

Round nozzle for LBX6000



ANGOODF

Flat nozzle for LBX6000



ANT6002

Connection tube & curved nozzle - LB6000E (2018)



AN5300

Flat nozzle for LB5300E, LB5750E and LB5800E



AN5801

Wide flat nozzle for LB5800E



GUTTER CLEANING PACK

Gutter cleaning pack and glasses for LB5300E and

AGC1001



EGO POWER* **SNOW THROWER**

AKS2400D

Skid shoes (pair) - SNT2400E



ACT2400

Chute cleaning tool - SNT2400E



EGO POWER⁺ **SHOULDER STRAPS**

AP1500

Single-shoulder harness with one hook - multi-tool, LB5300E, LB5750E and all grass trimmers except BCX3800



EGO POWER⁺ HARNESSES

AP4800

Single-shoulder harness without loop, two hook - LB4800E only



AFH1500

Frame and double-shoulder harness with padded comfort straps for BAX1500 and BHX1000



ACH1500

Cable routing clip for harness BH1000, AFH1500



AP1500D Double-shoulder harness with

guard pad for multi-tool & all grass trimmers except BCX3800



AP1300

Replacement double-shou comfort straps for BAX1300



AHP1500

Leg protector / line trimmer harness attachment for AFH1500



AHP1300

Leg protector / line trimmer harness attachment for AFH1300, BH1000



EGO POWER⁺ WALL HOOK

AWH1500

Wall mounted hanging frame for CHX5500E & BAX batteries



EGO POWER+ BAGS

BCS1000

Durable Chainsaw kit bag



BMH1000

Multi-tool wheeled kit bag



CM001

Storage cover for lawnmowers



EGO POWER⁺ PROTECTIVE CLOTHING

GV001E

Multi-purpose synthetic work gloves. Sizes from Small to XX-Large available



GS001E

Essential clear safety glasses



GS002E

Essential grey safety glasses



GS003E

Essential yellow safety glasses



GSV021E-XL

Essential grey safety glasses and multi-purpose synthetic work gloves (XL)



EGO POWER+ **BATTERY STORAGE**

BB0X2550

Transportation box that can carry 5 portable batteries of all EGO sizes. Can be connected to BBOX3000



BBOX3000

Transportation box for BAX1500 excluding harness. Can be connected to BBOX2550



108 | EGO POWER* ACCESSORIES



POWER PRODUCT FEATURES

EGO POWER* MULTI-TOOL ICONS



for each task

Cutting depth to

suit any lawn edge



CARBON FIBRE

For comfort and versatility

Lightweight and

extremely strong

Large cutting width for a fast and efficient cut

Wide cutting width

for efficient tilling



TW0 SPEED

Ideal length suited to the tool for best cutting results

Two-sneed motor

adjustable for task

and economy needs

Rotating rear handle

for greater comfort

and versatility

EGO POWER* CHAINSAW ICONS

cutting tasks

EGO POWER* HEDGE TRIMMER ICONS



LASER CUT: DIAMOND GROUND

BRUSHLESS MOTOR

XX.XM/S CHAIN SPEED

Fast, precise grass trimming attachment

results

free motor

Smooth and

fast cutting

Work all day

in comfort



Enabling precise and clean cutting









Less vihration to tackle the toughest jobs









Work all day



CHAIN BRAKE

AUTO CHAIN TENSIONING

EGO POWER* MOWER ICONS



XXCM CUTTING WIDTH

VARIABLE SPEED

BUMP LINE FEED

BRUSHLESS MOTOR

any size lawn





Wide cutting swathe

for faster, more

efficient trimming

Constantly adjustable speed to match the

needs of the task

Simple line feeding

making work simple

and efficient

Highly efficient

and powerful

maintenance-

Can be used with

EGO POWER* LINE TRIMMER AND BRUSH CUTTER ICONS

Motor adjusts to grass conditions, saving energy

Wide cutting width

for fast and effective

Ideally suited to the

Fast and tool-free line

reloading

Lightweight and extremely effect

tool for the best

cutting results

X.XMM LINE DIAMETER

RAPID RELOAD HEAD

CARBON FIBRE

trimming

Variable speed to suit

your walking pace



XXCM CUTTING WIDTH



TW0 SPEED

POWERLOAD HEAD

Highly efficient and powerful maintenancefree motor

Twn-sneed motor

adjustable for task

and economy needs

Automatic line

10 seconds

replacement in only

Adjust handle without

additional tools

Work all day

in comfort

Light and manoeuvrable, while

remaining durable





Highly efficient and powerful maintenancefree motor







































USE WITH EGO POWER*

EASY TURN



Work all day

in comfort





speed to match the needs of the task

Highly efficient

and powerful

maintenancefree motor

























CAN BE USED WITH ROTOCUT

Rotocut



no need for ladders and platforms

QUICK CHANGE

EGO POWER⁺ TELESCOPIC HEDGE TRIMMER AND POLE SAW ICONS

for each task

in comfort

Work all day

Your local dealer:



www.egopowerplus.com







